


AVISTEP[®]

The Avian Sensitivity Mapping
Tool for Energy Planning

SUPPLEMENTARY MATERIAL



Annex

Table S1. List of species included in the onshore wind energy assessment analysis per country. Parameters included in the calculation of the sensitivity indexes and the scaled values after dividing by the maximum category value (s). Conservation status (CnS), annual survival (Su), endemism (En), Collision (Co), Displacement (Di). Sensitivity indexes (SI) were calculated and normalized afterwards (SI (norm)). See main text for in-depth explanation.

INDIA

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Gyps bengalensis</i>	White-rumped Vulture	5	1	5	1	4	0.8	4	1	4	1	1.2	1
Accipitridae	<i>Sarcogyps calvus</i>	Red-headed Vulture	5	1	5	1	4	0.8	4	1	4	1	1.2	1
Accipitridae	<i>Gyps tenuirostris</i>	Slender-billed Vulture	5	1	5	1	3	0.6	4	1	4	1	1.2	1
Accipitridae	<i>Gyps indicus</i>	Indian Vulture	5	1	5	1	5	1	4	1	4	1	1.2	1
Accipitridae	<i>Haliaeetus leucoryphus</i>	Pallas's Fish-eagle	4	0.8	5	1	1	0.2	4	1	4	1	1.0843	0.8588
Accipitridae	<i>Neophron percnopterus</i>	Egyptian Vulture	4	0.8	5	1	1	0.2	4	1	4	1	1.0843	0.8588
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	4	1	4	1	1.0843	0.8588
Accipitridae	<i>Clanga hastata</i>	Indian Spotted Eagle	3	0.6	5	1	5	1	4	1	4	1	1.0121	0.7708
Ciconiidae	<i>Leptoptilos dubius</i>	Greater Adjutant	4	0.8	5	1	3	0.6	4	1	1	0.25	0.9636	0.7116
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Accipitridae	<i>Aquila rapax</i>	Tawny Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Otididae	<i>Ardeotis nigriceps</i>	Great Indian Bustard	5	1	5	1	5	1	3	0.75	3	0.75	0.9000	0.6340
Otididae	<i>Houbaropsis bengalensis</i>	Bengal Florican	5	1	5	1	4	0.8	3	0.75	3	0.75	0.9000	0.6340
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	3	0.6	4	1	1	0.25	0.8627	0.5885
Scolopacidae	<i>Tringa guttifer</i>	Spotted Greenshank	4	0.8	5	1	1	0.2	3	0.75	4	1	0.8584	0.5832
Scolopacidae	<i>Calidris tenuirostris</i>	Great Knot	4	0.8	5	1	1	0.2	3	0.75	4	1	0.8584	0.5832
Otididae	<i>Sypheotides indicus</i>	Lesser Florican	4	0.8	4	0.8	5	1	3	0.75	3	0.75	0.8311	0.5499
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	2	0.4	4	1	4	1	0.8192	0.5354
Glareolidae	<i>Rhinoptilus bitorquatus</i>	Jerdon's Courser	5	1	4	0.8	5	1	3	0.75	1	0.25	0.8000	0.5120
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Ichthyophaga ichhyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Gypaetus barbatus</i>	Bearded Vulture	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Laridae	<i>Sterna acuticauda</i>	Black-bellied Tern	4	0.8	5	1	5	1	3	0.75	2	0.5	0.7891	0.4987
Laridae	<i>Rynchops albicollis</i>	Indian Skimmer	4	0.8	4	0.8	5	1	3	0.75	2	0.5	0.7849	0.4936
Falconidae	<i>Falco cherrug</i>	Saker Falcon	4	0.8	4	0.8	1	0.2	3	0.75	2	0.5	0.7603	0.4635
Accipitridae	<i>Circus macrourus</i>	Pallid Harrier	2	0.4	4	0.8	1	0.2	4	1	4	1	0.7589	0.4619
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	4	0.8	4	1	1	0.25	0.7570	0.4595
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	4	0.8	4	1	1	0.25	0.7570	0.4595
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	4	0.8	2	0.4	3	0.75	4	1	0.7532	0.4549
Gruidae	<i>Grus antigone</i>	Sarus Crane	3	0.6	5	1	4	0.8	3	0.75	3	0.75	0.7499	0.4509
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	2	0.4	4	1	1	0.25	0.7168	0.4105
Otididae	<i>Chlamydotis macqueenii</i>	Asian Houbara	3	0.6	5	1	1	0.2	3	0.75	3	0.75	0.7135	0.4065
Anatidae	<i>Aythya baeri</i>	Baer's Pochard	5	1	3	0.6	1	0.2	2	0.5	4	1	0.7000	0.3900
Charadriidae	<i>Vanellus gregarius</i>	Sociable Lapwing	5	1	4	0.8	1	0.2	2	0.5	4	1	0.7000	0.3900
Laridae	<i>Sterna aurantia</i>	River Tern	3	0.6	5	1	3	0.6	3	0.75	2	0.5	0.6984	0.3880
Motacillidae	<i>Anthus nilghiriensis</i>	Nilgiri Pipit	3	0.6	3	0.6	5	1	3	0.75	2	0.5	0.6984	0.3880
Phoenicopteridae	<i>Phoeniconaias minor</i>	Lesser Flamingo	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Bucerotidae	<i>Ocyrceros griseus</i>	Malabar Grey Hornbill	3	0.6	4	0.8	5	1	3	0.75	1	0.25	0.6666	0.3492
Bucerotidae	<i>Aceros nipalensis</i>	Rufous-necked Hornbill	3	0.6	5	1	2	0.4	3	0.75	1	0.25	0.6466	0.3249
Accipitridae	<i>Butastur teesa</i>	White-eyed Buzzard	1	0.2	4	0.8	4	0.8	4	1	4	1	0.6462	0.3243
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	3	0.6	4	1	4	1	0.6462	0.3243
Accipitridae	<i>Buteo refectus</i>	Himalayan Buzzard	1	0.2	5	1	3	0.6	4	1	4	1	0.6462	0.3243
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Bucerotidae	<i>Rhyticeros undulatus</i>	Wreathed Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Apodidae	<i>Apus acuticauda</i>	Dark-rumped Swift	3	0.6	3	0.6	3	0.6	3	0.75	1	0.25	0.6342	0.3098
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Limosa lapponica</i>	Bar-tailed Godwit	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Numenius arquata</i>	Eurasian Curlew	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Scolopacidae	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Anatidae	<i>Asarcornis scutulata</i>	White-winged Duck	4	0.8	3	0.6	1	0.2	2	0.5	4	1	0.6184	0.2904
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	2	0.4	4	1	4	1	0.6137	0.2847
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	2	0.4	4	1	4	1	0.6137	0.2847
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	2	0.4	4	1	4	1	0.6137	0.2847
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	2	0.4	4	1	4	1	0.6137	0.2847
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	2	0.4	4	1	4	1	0.6137	0.2847
Scolopacidae	<i>Calidris canutus</i>	Red Knot	2	0.4	4	0.8	1	0.2	3	0.75	4	1	0.6008	0.2690
Scolopacidae	<i>Calidris ruficollis</i>	Red-necked Stint	2	0.4	4	0.8	1	0.2	3	0.75	4	1	0.6008	0.2690
Scolopacidae	<i>Calidris ferruginea</i>	Curlew Sandpiper	2	0.4	4	0.8	1	0.2	3	0.75	4	1	0.6008	0.2690
Ardeidae	<i>Ardea insignis</i>	White-bellied Heron	5	1	4	0.8	3	0.6	2	0.5	2	0.5	0.6000	0.2680
Emberizidae	<i>Emberiza aureola</i>	Yellow-breasted Bunting	5	1	2	0.4	1	0.2	2	0.5	2	0.5	0.6000	0.2680
Falconidae	<i>Falco jugger</i>	Laggar Falcon	2	0.4	4	0.8	4	0.8	3	0.75	2	0.5	0.5975	0.2650
Gruidae	<i>Grus nigricollis</i>	Black-necked Crane	2	0.4	5	1	1	0.2	3	0.75	3	0.75	0.5934	0.2600
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	2	0.4	5	1	1	0.2	3	0.75	3	0.75	0.5934	0.2600
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	4	0.8	4	1	1	0.25	0.5910	0.2570
Bucerotidae	<i>Anthracoceros coronatus</i>	Malabar Pied Hornbill	2	0.4	5	1	5	1	3	0.75	1	0.25	0.5894	0.2551
Falconidae	<i>Falco chicquera</i>	Red-headed Falcon	2	0.4	3	0.6	4	0.8	3	0.75	2	0.5	0.5802	0.2439
Accipitridae	<i>Aviceda jerdoni</i>	Jerdon's Baza	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied Sea-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Haliaeetus albicilla</i>	White-tailed Sea-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Gyps fulvus</i>	Griffon Vulture	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	2	0.4	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Buteo hemilasius</i>	Upland Buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Aquila chrysaetos</i>	Golden Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Hieraaetus pennatus</i>	Booted Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Circaetus gallicus</i>	Short-toed Snake-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Buteo rufinus</i>	Long-legged Buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Buteo buteo</i>	Eurasian Buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	2	0.4	5	1	3	0.6	3	0.75	1	0.25	0.5624	0.2221
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	3	0.6	3	0.75	1	0.25	0.5624	0.2221
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	2	0.4	5	1	3	0.6	3	0.75	1	0.25	0.5624	0.2221
Anatidae	<i>Aythya ferina</i>	Common Pochard	3	0.6	4	0.8	2	0.4	2	0.5	4	1	0.5550	0.2131
Columbidae	<i>Columba elphinstonii</i>	Nilgiri Woodpigeon	3	0.6	4	0.8	5	1	2	0.5	3	0.75	0.5416	0.1968
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	5	1	2	0.5	3	0.75	0.5416	0.1968
Phoenicopteridae	<i>Phoenicopiterus roseus</i>	Greater Flamingo	1	0.2	5	1	2	0.4	4	1	1	0.25	0.5370	0.1911
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus aeruginosus</i>	Western Marsh-harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus pygargus</i>	Montagu's Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Accipiter gentilis</i>	Northern Goshawk	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Pelecanidae	<i>Pelecanus crispus</i>	Dalmatian Pelican	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Bucerotidae	<i>Anorrhinus austeni</i>	Austen's Brown Hornbill	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Columbidae	<i>Columba eversmanni</i>	Yellow-eyed Pigeon	3	0.6	3	0.6	3	0.6	2	0.5	3	0.75	0.5153	0.1647
Anatidae	<i>Marmaronetta angustirostris</i>	Marbled Teal	3	0.6	2	0.4	1	0.2	2	0.5	4	1	0.5087	0.1566
Strigidae	<i>Athene blewitti</i>	Forest Owlet	4	0.8	4	0.8	5	1	2	0.5	1	0.25	0.5079	0.1556
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Ciconiidae	<i>Ciconia ciconia</i>	White Stork	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Paridae	<i>Machlolophus nuchalis</i>	White-naped Tit	3	0.6	3	0.6	5	1	2	0.5	2	0.5	0.4930	0.1374
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Corvidae	<i>Dendrocitta leucogastra</i>	White-bellied Treepie	1	0.2	4	0.8	5	1	3	0.75	2	0.5	0.4784	0.1197
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	2	0.4	4	0.8	3	0.6	2	0.5	4	1	0.4778	0.1190

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Threskiornithidae	<i>Pseudibis papillosa</i>	Red-naped Ibis	1	0.2	5	1	5	1	3	0.75	1	0.25	0.4678	0.1068
Corvidae	<i>Dendrocitta vagabunda</i>	Rufous Treepie	1	0.2	4	0.8	4	0.8	3	0.75	2	0.5	0.4577	0.0944
Corvidae	<i>Corvus splendens</i>	House Crow	1	0.2	4	0.8	4	0.8	3	0.75	2	0.5	0.4577	0.0944
Motacillidae	<i>Motacilla maderaspatensis</i>	White-browed Wagtail	1	0.2	3	0.6	5	1	3	0.75	2	0.5	0.4577	0.0944
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Tringa erythropus</i>	Spotted Redshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Tringa totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Tringa nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Arenaria interpres</i>	Ruddy Turnstone	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Pycnonotidae	<i>Pycnonotus xantholaemus</i>	Yellow-throated Bulbul	3	0.6	3	0.6	5	1	2	0.5	1	0.25	0.4519	0.0873
Ploceidae	<i>Ploceus megarhynchus</i>	Finn's Weaver	3	0.6	3	0.6	5	1	2	0.5	1	0.25	0.4519	0.0873
Bucerotidae	<i>Ocyrceros birostris</i>	Indian Grey Hornbill	1	0.2	4	0.8	5	1	3	0.75	1	0.25	0.4503	0.0853
Glareolidae	<i>Cursorius coromandelicus</i>	Indian Courser	1	0.2	4	0.8	5	1	3	0.75	1	0.25	0.4503	0.0853
Dicruridae	<i>Dicrurus caerulescens</i>	White-bellied Drongo	1	0.2	4	0.8	5	1	3	0.75	1	0.25	0.4503	0.0853
Burhinidae	<i>Burhinus indicus</i>	Indian Thick-knee	1	0.2	5	1	4	0.8	3	0.75	1	0.25	0.4503	0.0853
Anatidae	<i>Mareca falcata</i>	Falcated Duck	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Charadriidae	<i>Vanellus vanellus</i>	Northern Lapwing	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Laridae	<i>Larus ichthyaetus</i>	Pallas's Gull	1	0.2	5	1	2	0.4	3	0.75	2	0.5	0.4347	0.0663
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	1	0.2	5	1	2	0.4	3	0.75	2	0.5	0.4347	0.0663
Corvidae	<i>Urocissa flavirostris</i>	Yellow-billed Blue Magpie	1	0.2	4	0.8	3	0.6	3	0.75	2	0.5	0.4347	0.0663
Corvidae	<i>Dendrocitta frontalis</i>	Collared Treepie	1	0.2	4	0.8	3	0.6	3	0.75	2	0.5	0.4347	0.0663
Gruidae	<i>Anthropoides virgo</i>	Demoiselle Crane	1	0.2	5	1	1	0.2	3	0.75	3	0.75	0.4330	0.0643
Gruidae	<i>Grus grus</i>	Common Crane	1	0.2	5	1	1	0.2	3	0.75	3	0.75	0.4330	0.0643
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	1	0.2	5	1	3	0.6	3	0.75	1	0.25	0.4308	0.0616
Pittidae	<i>Pitta brachyura</i>	Indian Pitta	1	0.2	3	0.6	5	1	3	0.75	1	0.25	0.4308	0.0616
Hypocoliidae	<i>Hypocolius ampelinus</i>	Hypocolius	1	0.2	3	0.6	1	0.2	4	1	1	0.25	0.4294	0.0599
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	2	0.4	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Lymnocyrtus minimus</i>	Jack Snipe	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Xenus cinereus</i>	Terek Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris alba</i>	Sanderling	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris subminuta</i>	Long-toed Stint	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris alpina</i>	Dunlin	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris pugnax</i>	Ruff	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Anatidae	<i>Aythya nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	2	0.5	4	1	0.4207	0.0493
Muscicapidae	<i>Sholicola major</i>	Nilgiri Sholakili	4	0.8	3	0.6	5	1	1	0.25	4	1	0.4130	0.0399
Apodidae	<i>Aerodramus unicolor</i>	Indian Swiftlet	1	0.2	3	0.6	4	0.8	3	0.75	1	0.25	0.4091	0.0351
Apodidae	<i>Zoonavena sylvatica</i>	White-rumped Spinetail	1	0.2	2	0.4	5	1	3	0.75	1	0.25	0.4091	0.0351
Glareolidae	<i>Glareola lactea</i>	Little Pratincole	1	0.2	4	0.8	3	0.6	3	0.75	1	0.25	0.4091	0.0351
Artamidae	<i>Artamus fuscus</i>	Ashy Woodswallow	1	0.2	4	0.8	3	0.6	3	0.75	1	0.25	0.4091	0.0351
Laridae	<i>Larus fuscus</i>	Lesser Black-backed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus ridibundus</i>	Black-headed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus genei</i>	Slender-billed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Hydroprogne caspia</i>	Caspian Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Sterna hirundo</i>	Common Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Sternula albifrons</i>	Little Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Garrulus lanceolatus</i>	Black-headed Jay	1	0.2	4	0.8	2	0.4	3	0.75	2	0.5	0.4090	0.0350
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Pycnonotidae	<i>Brachypodius priocephalus</i>	Grey-headed Bulbul	2	0.4	4	0.8	5	1	2	0.5	1	0.25	0.3965	0.0197
Charadriidae	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	1	0.2	4	0.8	5	1	2	0.5	4	1	0.3940	0.0167
Scolopacidae	<i>Scolopax rusticola</i>	Eurasian Woodcock	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Gallinago solitaria</i>	Solitary Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100

NEPAL

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Gyps tenuirostris</i>	Slender-billed Vulture	5	1	5	1	1	0.2	4	1	4	1	1.2	1
Accipitridae	<i>Gyps bengalensis</i>	White-rumped Vulture	5	1	5	1	1	0.2	4	1	4	1	1.2	1
Accipitridae	<i>Sarcogyps calvus</i>	Red-headed Vulture	5	1	5	1	1	0.2	4	1	4	1	1.2	1
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	4	1	4	1	1.0843	0.8588
Accipitridae	<i>Neophron percnopterus</i>	Egyptian Vulture	4	0.8	5	1	1	0.2	4	1	4	1	1.0843	0.8588
Accipitridae	<i>Haliaeetus leucoryphus</i>	Pallas's Fish-eagle	4	0.8	5	1	1	0.2	4	1	4	1	1.0843	0.8588
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Accipitridae	<i>Clanga hastata</i>	Indian Spotted Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Otididae	<i>Houbaropsis bengalensis</i>	Bengal Florican	5	1	5	1	1	0.2	3	0.75	3	0.75	0.9000	0.6340
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	4	1	1	0.25	0.8324	0.5516
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Gypaetus barbatus</i>	Bearded Vulture	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Falconidae	<i>Falco cherrug</i>	Saker Falcon	4	0.8	4	0.8	1	0.2	3	0.75	2	0.5	0.7603	0.4635
Accipitridae	<i>Circus macrourus</i>	Pallid Harrier	2	0.4	4	0.8	1	0.2	4	1	4	1	0.7589	0.4619
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	4	0.8	1	0.2	3	0.75	4	1	0.7359	0.4338
Gruidae	<i>Grus antigone</i>	Sarus Crane	3	0.6	5	1	1	0.2	3	0.75	3	0.75	0.7135	0.4065
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Accipitridae	<i>Buteo refectus</i>	Himalayan Buzzard	1	0.2	5	1	2	0.4	4	1	4	1	0.6137	0.2847
Emberizidae	<i>Emberiza aureola</i>	Yellow-breasted Bunting	5	1	2	0.4	1	0.2	2	0.5	2	0.5	0.6000	0.2680

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Aquila chrysaetos</i>	Golden Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Circaetus gallicus</i>	Short-toed Snake-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Buteo rufinus</i>	Long-legged Buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Hieraaetus pennatus</i>	Booted Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Gyps fulvus</i>	Griffon Vulture	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Haliaeetus albicilla</i>	White-tailed Sea-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Buteo hemilasius</i>	Upland Buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Anatidae	<i>Aythya ferina</i>	Common Pochard	3	0.6	4	0.8	1	0.2	2	0.5	4	1	0.5422	0.1975
Falconidae	<i>Falco jugger</i>	Laggar Falcon	2	0.4	4	0.8	1	0.2	3	0.75	2	0.5	0.5376	0.1919
Accipitridae	<i>Accipiter gentilis</i>	Northern Goshawk	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus aeruginosus</i>	Western Marsh-harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Butastur teesa</i>	White-eyed Buzzard	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Falconidae	<i>Falco chicquera</i>	Red-headed Falcon	2	0.4	3	0.6	1	0.2	3	0.75	2	0.5	0.5109	0.1593

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Ciconiidae	<i>Ciconia ciconia</i>	White Stork	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Scolopacidae	<i>Tringa nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Tringa totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Anatidae	<i>Mareca falcata</i>	Falcated Duck	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Charadriidae	<i>Vanellus vanellus</i>	Northern Lapwing	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Gruidae	<i>Grus grus</i>	Common Crane	1	0.2	5	1	1	0.2	3	0.75	3	0.75	0.4330	0.0643
Gruidae	<i>Anthropoides virgo</i>	Demoiselle Crane	1	0.2	5	1	1	0.2	3	0.75	3	0.75	0.4330	0.0643
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Limnocyptes minimus</i>	Jack Snipe	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris alpina</i>	Dunlin	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Anatidae	<i>Aythya nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	2	0.5	4	1	0.4207	0.0493
Ploceidae	<i>Ploceus megarhynchus</i>	Finn's Weaver	3	0.6	3	0.6	1	0.2	2	0.5	1	0.25	0.4141	0.0412
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Urocissa flavirostris</i>	Yellow-billed Blue Magpie	1	0.2	4	0.8	2	0.4	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Garrulus lanceolatus</i>	Black-headed Jay	1	0.2	4	0.8	2	0.4	3	0.75	2	0.5	0.4090	0.0350
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Hydroprogne caspia</i>	Caspian Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus ridibundus</i>	Black-headed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus fuscus</i>	Lesser Black-backed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus ichthyaetus</i>	Pallas's Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Sternula albifrons</i>	Little Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Scolopacidae	<i>Scolopax rusticola</i>	Eurasian Woodcock	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Gallinago solitaria</i>	Solitary Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Gallinago gallinago</i>	Common Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100

THAILAND

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	4	1	4	1	1.0843	0.8588
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Accipitridae	<i>Nisaetus nanus</i>	Wallace's Hawk-eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Scolopacidae	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	5	1	3	0.6	1	0.2	3	0.75	4	1	0.9500	0.6950
Ciconiidae	<i>Ciconia stormi</i>	Storm's Stork	4	0.8	5	1	1	0.2	4	1	1	0.25	0.9487	0.6934
Scolopacidae	<i>Calidris tenuirostris</i>	Great Knot	4	0.8	5	1	1	0.2	3	0.75	4	1	0.8584	0.5832
Scolopacidae	<i>Tringa guttifer</i>	Spotted Greenshank	4	0.8	5	1	1	0.2	3	0.75	4	1	0.8584	0.5832
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	4	1	1	0.25	0.8324	0.5516
Bucerotidae	<i>Rhinoplax vigil</i>	Helmeted Hornbill	5	1	5	1	1	0.2	3	0.75	1	0.25	0.8000	0.5120
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Bucerotidae	<i>Rhabdotorrhinus corrugatus</i>	Wrinkled Hornbill	4	0.8	5	1	1	0.2	3	0.75	1	0.25	0.7228	0.4179
Bucerotidae	<i>Berenicornis comatus</i>	White-crowned Hornbill	4	0.8	5	1	1	0.2	3	0.75	1	0.25	0.7228	0.4179
Anatidae	<i>Aythya baeri</i>	Baer's Pochard	5	1	3	0.6	1	0.2	2	0.5	4	1	0.7000	0.3900
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Laridae	<i>Sterna aurantia</i>	River Tern	3	0.6	5	1	1	0.2	3	0.75	2	0.5	0.6739	0.3581
Apodidae	<i>Apus acuticauda</i>	Dark-rumped Swift	3	0.6	3	0.6	5	1	3	0.75	1	0.25	0.6573	0.3379
Bucerotidae	<i>Rhyticeros subruficollis</i>	Plain-pouched Hornbill	3	0.6	5	1	2	0.4	3	0.75	1	0.25	0.6466	0.3249
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Bucerotidae	<i>Anthracoceros malayanus</i>	Black Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Bucerotidae	<i>Rhyticeros undulatus</i>	Wreathed Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Bucerotidae	<i>Aceros nipalensis</i>	Rufous-necked Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Bucerotidae	<i>Buceros rhinoceros</i>	Rhinoceros Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Scolopacidae	<i>Numenius arquata</i>	Eurasian Curlew	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Tringa brevipes</i>	Grey-tailed Tattler	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Limosa lapponica</i>	Bar-tailed Godwit	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Anatidae	<i>Asarcornis scutulata</i>	White-winged Duck	4	0.8	3	0.6	1	0.2	2	0.5	4	1	0.6184	0.2904
Scolopacidae	<i>Calidris ferruginea</i>	Curlew Sandpiper	2	0.4	4	0.8	1	0.2	3	0.75	4	1	0.6008	0.2690
Emberizidae	<i>Emberiza aureola</i>	Yellow-breasted Bunting	5	1	2	0.4	2	0.4	2	0.5	2	0.5	0.6000	0.2680
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Macheiramphus alcinus</i>	Bat Hawk	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Hieraaetus pennatus</i>	Booted Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Buteo japonicus</i>	Japanese Buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied Sea-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Aviceda jerdoni</i>	Jerdon's Baza	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Nisaetus alboniger</i>	Blyth's Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Scolopacidae	<i>Calidris ruficollis</i>	Red-necked Stint	2	0.4	3	0.6	1	0.2	3	0.75	4	1	0.5710	0.2326
Bucerotidae	<i>Anorrhinus tickelli</i>	Tickell's Brown Hornbill	2	0.4	5	1	3	0.6	3	0.75	1	0.25	0.5624	0.2221
Falconidae	<i>Polihierax insignis</i>	White-rumped Pygmy-falcon	2	0.4	4	0.8	2	0.4	3	0.75	2	0.5	0.5605	0.2198
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Butastur teesa</i>	White-eyed Buzzard	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus spilonotus</i>	Eastern Marsh-harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Butastur indicus</i>	Grey-faced Buzzard	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Butastur liventer</i>	Rufous-winged Buzzard	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Bucerotidae	<i>Anorrhinus galeritus</i>	Bushy-crested Hornbill	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Bucerotidae	<i>Anorrhinus austeni</i>	Austen's Brown Hornbill	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Burhinidae	<i>Esacus magnirostris</i>	Beach Thick-knee	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Anatidae	<i>Aythya ferina</i>	Common Pochard	3	0.6	3	0.6	1	0.2	2	0.5	4	1	0.5270	0.1790
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Oriolidae	<i>Oriolus mellianus</i>	Silver Oriole	4	0.8	3	0.6	5	1	2	0.5	1	0.25	0.5048	0.1518
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	1	0.2	2	0.5	3	0.75	0.5035	0.1503
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter soloensis</i>	Chinese Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter gularis</i>	Japanese Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Columbidae	<i>Treron capellei</i>	Large Green-pigeon	3	0.6	2	0.4	1	0.2	2	0.5	3	0.75	0.4723	0.1123
Scolopacidae	<i>Tringa totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Arenaria interpres</i>	Ruddy Turnstone	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Tringa nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Tringa erythropus</i>	Spotted Redshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Acrocephalidae	<i>Acrocephalus tangorum</i>	White-browed Reed-warbler	3	0.6	2	0.4	2	0.4	2	0.5	2	0.5	0.4518	0.0872
Ardeidae	<i>Egretta eulophotes</i>	Chinese Egret	3	0.6	3	0.6	1	0.2	2	0.5	2	0.5	0.4518	0.0872
Charadriidae	<i>Charadrius peronii</i>	Malay Plover	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Charadriidae	<i>Vanellus vanellus</i>	Northern Lapwing	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Cuculidae	<i>Carpococcyx renauldi</i>	Coral-billed Ground-cuckoo	3	0.6	5	1	1	0.2	2	0.5	1	0.25	0.4360	0.0680
Cuculidae	<i>Centropus rectunguis</i>	Short-toed Coucal	3	0.6	5	1	1	0.2	2	0.5	1	0.25	0.4360	0.0680
Gruidae	<i>Grus grus</i>	Common Crane	1	0.2	5	1	1	0.2	3	0.75	3	0.75	0.4330	0.0643
Strigidae	<i>Otus sagittatus</i>	White-fronted Scops-owl	3	0.6	2	0.4	3	0.6	2	0.5	1	0.25	0.4260	0.0558
Scolopacidae	<i>Xenus cinereus</i>	Terek Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris alba</i>	Sanderling	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris pugnax</i>	Ruff	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Anatidae	<i>Aythya nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	2	0.5	4	1	0.4207	0.0493
Anatidae	<i>Mareca falcata</i>	Falcated Duck	2	0.4	3	0.6	1	0.2	2	0.5	4	1	0.4207	0.0493
Columbidae	<i>Ramphiculus jambu</i>	Jambu Fruit-dove	2	0.4	4	0.8	1	0.2	2	0.5	3	0.75	0.4111	0.0375
Corvidae	<i>Platysmurus leucopterus</i>	Malay Black Magpie	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Crypsirina temia</i>	Racquet-tailed Treepie	1	0.2	4	0.8	2	0.4	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Garrulus leucotis</i>	White-faced Jay	1	0.2	4	0.8	2	0.4	3	0.75	2	0.5	0.4090	0.0350

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus ridibundus</i>	Black-headed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Sternula albifrons</i>	Little Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus fuscus</i>	Lesser Black-backed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Pycnonotidae	<i>Alophoixus tephrogenys</i>	Grey-cheeked Bulbul	3	0.6	2	0.4	1	0.2	2	0.5	1	0.25	0.3997	0.0236
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Calidris subminuta</i>	Long-toed Stint	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Gallinago gallinago</i>	Common Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Actitis hypoleucos</i>	Common Sandpiper	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100

VIETNAM

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	4	1	4	1	0.9514	0.6967
Scolopacidae	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	5	1	3	0.6	2	0.4	3	0.75	4	1	0.9500	0.6950
Scolopacidae	<i>Numenius madagascariensis</i>	Far Eastern Curlew	4	0.8	5	1	1	0.2	3	0.75	4	1	0.8584	0.5832
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	4	1	1	0.25	0.8324	0.5516
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	4	1	4	1	0.7912	0.5013
Gruidae	<i>Grus antigone</i>	Sarus Crane	3	0.6	5	1	2	0.4	3	0.75	3	0.75	0.7275	0.4235
Threskiornithidae	<i>Platalea minor</i>	Black-faced Spoonbill	4	0.8	5	1	1	0.2	3	0.75	1	0.25	0.7228	0.4179
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	3	0.6	1	0.2	3	0.75	4	1	0.7153	0.4086

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Anatidae	<i>Aythya baeri</i>	Baer's Pochard	5	1	3	0.6	1	0.2	2	0.5	4	1	0.7000	0.3900
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	4	1	1	0.25	0.6923	0.3806
Corvidae	<i>Corvus pectoralis</i>	Collared Crow	3	0.6	5	1	1	0.2	3	0.75	2	0.5	0.6739	0.3581
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	3	0.6	5	1	1	0.2	3	0.75	2	0.5	0.6739	0.3581
Bucerotidae	<i>Rhyticeros undulatus</i>	Wreathed Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Bucerotidae	<i>Aceros nipalensis</i>	Rufous-necked Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	3	0.75	1	0.25	0.6342	0.3098
Scolopacidae	<i>Numenius arquata</i>	Eurasian Curlew	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Limosa lapponica</i>	Bar-tailed Godwit	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	2	0.4	5	1	1	0.2	3	0.75	4	1	0.6264	0.3002
Anatidae	<i>Asarcornis scutulata</i>	White-winged Duck	4	0.8	3	0.6	1	0.2	2	0.5	4	1	0.6184	0.2904
Scolopacidae	<i>Calidris ferruginea</i>	Curlew Sandpiper	2	0.4	4	0.8	1	0.2	3	0.75	4	1	0.6008	0.2690
Emberizidae	<i>Emberiza aureola</i>	Yellow-breasted Bunting	5	1	2	0.4	1	0.2	2	0.5	2	0.5	0.6000	0.2680
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied Sea-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Aviceda jerdoni</i>	Jerdon's Baza	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Buteo japonicus</i>	Japanese Buzzard	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	4	1	4	1	0.5774	0.2404
Scolopacidae	<i>Calidris ruficollis</i>	Red-necked Stint	2	0.4	3	0.6	1	0.2	3	0.75	4	1	0.5710	0.2326
Corvidae	<i>Urocissa xanthomelana</i>	White-winged Magpie	2	0.4	2	0.4	3	0.6	3	0.75	2	0.5	0.5376	0.1919
Falconidae	<i>Polihierax insignis</i>	White-rumped Pygmy-falcon	2	0.4	4	0.8	1	0.2	3	0.75	2	0.5	0.5376	0.1919
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Accipitridae	<i>Butastur indicus</i>	Grey-faced Buzzard	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Accipiter gentilis</i>	Northern Goshawk	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus spilonotus</i>	Eastern Marsh-harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Butastur liventer</i>	Rufous-winged Buzzard	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	4	1	4	1	0.5367	0.1907
Ardeidae	<i>Oroanassa magnifica</i>	White-eared Night-heron	4	0.8	4	0.8	1	0.2	2	0.5	2	0.5	0.5367	0.1907
Bucerotidae	<i>Anorrhinus austeni</i>	Austen's Brown Hornbill	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	1	0.2	3	0.75	1	0.25	0.5275	0.1795
Anatidae	<i>Aythya ferina</i>	Common Pochard	3	0.6	3	0.6	1	0.2	2	0.5	4	1	0.5270	0.1790
Motacillidae	<i>Motacilla samveasnae</i>	Mekong Wagtail	2	0.4	3	0.6	1	0.2	3	0.75	2	0.5	0.5109	0.1593
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	4	1	1	0.25	0.5052	0.1524
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	1	0.2	2	0.5	3	0.75	0.5035	0.1503
Accipitridae	<i>Accipiter soloensis</i>	Chinese Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter gularis</i>	Japanese Sparrowhawk	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	4	1	4	1	0.4908	0.1347
Corvidae	<i>Temnurus temnurus</i>	Ratchet-tailed Treepie	1	0.2	4	0.8	4	0.8	3	0.75	2	0.5	0.4577	0.0944
Scolopacidae	<i>Tringa erythropus</i>	Spotted Redshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Tringa totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Arenaria interpres</i>	Ruddy Turnstone	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Scolopacidae	<i>Tringa nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	3	0.75	4	1	0.4571	0.0937
Ardeidae	<i>Egretta eulophotes</i>	Chinese Egret	3	0.6	3	0.6	1	0.2	2	0.5	2	0.5	0.4518	0.0872
Cuculidae	<i>Carpococcyx renauldi</i>	Coral-billed Ground-cuckoo	3	0.6	5	1	2	0.4	2	0.5	1	0.25	0.4446	0.0784
Anatidae	<i>Mareca falcata</i>	Falcated Duck	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Charadriidae	<i>Charadrius peronii</i>	Malay Plover	2	0.4	4	0.8	1	0.2	2	0.5	4	1	0.4427	0.0761
Acrocephalidae	<i>Acrocephalus tangorum</i>	White-browed Reed-warbler	3	0.6	2	0.4	1	0.2	2	0.5	2	0.5	0.4360	0.0679
Scolopacidae	<i>Calidris subminuta</i>	Long-toed Stint	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Xenus cinereus</i>	Terek Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris pugnax</i>	Ruff	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris alpina</i>	Dunlin	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Calidris alba</i>	Sanderling	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	3	0.75	4	1	0.4249	0.0543
Anatidae	<i>Aythya nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	2	0.5	4	1	0.4207	0.0493
Corvidae	<i>Cissa hypoleuca</i>	Indochinese Green Magpie	1	0.2	4	0.8	2	0.4	3	0.75	2	0.5	0.4090	0.0350
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus ridibundus</i>	Black-headed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Hydroprogne caspia</i>	Caspian Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Sternula albifrons</i>	Little Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus canus</i>	Mew Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Laridae	<i>Larus fuscus</i>	Lesser Black-backed Gull	1	0.2	5	1	1	0.2	3	0.75	2	0.5	0.4090	0.0350
Scolopacidae	<i>Limnocyptes minimus</i>	Jack Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Gallinago gallinago</i>	Common Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	Di	Di (s)	SI	SI (norm)
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100
Scolopacidae	<i>Actitis hypoleucos</i>	Common Sandpiper	1	0.2	3	0.6	1	0.2	3	0.75	4	1	0.3885	0.0100

Table S2. List of species included in the powerline collision assessment analysis per country. Parameters included in the calculation of the sensitivity indexes and the scaled values after dividing by the maximum category value (s). Conservation status (CnS), annual survival (Su), endemism (En), Powerline Collision (PwCo). Powerline collision sensitivity indexes (PwCo SI) were calculated and normalized afterwards (PwCo SI (norm)). See main text for in-depth explanation.

INDIA

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Otididae	<i>Ardeotis nigriceps</i>	Great Indian Bustard	5	1	5	1	5	1	6	1	1	1
Otididae	<i>Houbaropsis bengalensis</i>	Bengal Florican	5	1	5	1	4	0.8	6	1	1	1
Otididae	<i>Sypheotides indicus</i>	Lesser Florican	4	0.8	4	0.8	5	1	6	1	0.9234	0.8869
Ciconiidae	<i>Leptoptilos dubius</i>	Greater Adjutant	4	0.8	5	1	3	0.6	6	1	0.9178	0.8785
Charadriidae	<i>Vanellus gregarius</i>	Sociable Lapwing	5	1	4	0.8	1	0.2	5	0.8333	0.8333	0.7539
Gruidae	<i>Grus antigone</i>	Sarus Crane	3	0.6	5	1	4	0.8	6	1	0.8332	0.7537
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	3	0.6	6	1	0.8216	0.7366
Otididae	<i>Chlamydotis macqueenii</i>	Asian Houbara	3	0.6	5	1	1	0.2	6	1	0.7928	0.6940
Phasianidae	<i>Perdica manipurensis</i>	Manipur Bush-quail	4	0.8	3	0.6	5	1	5	0.8333	0.7648	0.6526
Scolopacidae	<i>Tringa guttifer</i>	Spotted Greenshank	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.6351
Scolopacidae	<i>Calidris tenuirostris</i>	Great Knot	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.6351
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	4	0.8	6	1	0.7209	0.5878
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	4	0.8	6	1	0.7209	0.5878
Phasianidae	<i>Francolinus gularis</i>	Swamp Francolin	3	0.6	4	0.8	4	0.8	5	0.8333	0.6847	0.5343
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	2	0.4	6	1	0.6826	0.5313
Anatidae	<i>Aythya baeri</i>	Baer's Pochard	5	1	3	0.6	1	0.2	4	0.6667	0.6667	0.5077
Ardeidae	<i>Ardea insignis</i>	White-bellied Heron	5	1	4	0.8	3	0.6	4	0.6667	0.6667	0.5077
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	4	0.8	2	0.4	5	0.8333	0.6607	0.4988
Phasianidae	<i>Lophophorus sclateri</i>	Sclater's Monal	3	0.6	4	0.8	2	0.4	5	0.8333	0.6607	0.4988

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Phasianidae	<i>Catreus wallichii</i>	Cheer Pheasant	3	0.6	3	0.6	3	0.6	5	0.8333	0.6607	0.4988
Gruidae	<i>Grus nigricollis</i>	Black-necked Crane	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Phoenicopteridae	<i>Phoeniconaias minor</i>	Lesser Flamingo	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Laridae	<i>Sterna acuticauda</i>	Black-bellied Tern	4	0.8	5	1	5	1	4	0.6667	0.6189	0.4371
Strigidae	<i>Athene blewitti</i>	Forest Owlet	4	0.8	4	0.8	5	1	4	0.6667	0.6156	0.4323
Laridae	<i>Rynchops albicollis</i>	Indian Skimmer	4	0.8	4	0.8	5	1	4	0.6667	0.6156	0.4323
Anatidae	<i>Asarcornis scutulata</i>	White-winged Duck	4	0.8	3	0.6	1	0.2	4	0.6667	0.5889	0.3929
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	2	0.4	5	1	3	0.6	5	0.8333	0.5858	0.3883
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	2	0.4	4	0.8	3	0.6	5	0.8333	0.5689	0.3633
Phasianidae	<i>Arborophila atrogularis</i>	White-cheeked Partridge	2	0.4	4	0.8	3	0.6	5	0.8333	0.5689	0.3633
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	4	0.8	6	1	0.5628	0.3543
Columbidae	<i>Columba elphinstonii</i>	Nilgiri Woodpigeon	3	0.6	4	0.8	5	1	4	0.6667	0.5555	0.3435
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	5	1	4	0.6667	0.5555	0.3435
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limosa lapponica</i>	Bar-tailed Godwit	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Numenius arquata</i>	Eurasian Curlew	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Pelecanidae	<i>Pelecanus crispus</i>	Dalmatian Pelican	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Laridae	<i>Sterna aurantia</i>	River Tern	3	0.6	5	1	3	0.6	4	0.6667	0.5477	0.3321
Anatidae	<i>Aythya ferina</i>	Common Pochard	3	0.6	4	0.8	2	0.4	4	0.6667	0.5285	0.3037
Columbidae	<i>Columba eversmanni</i>	Yellow-eyed Pigeon	3	0.6	3	0.6	3	0.6	4	0.6667	0.5285	0.3037
Scolopacidae	<i>Calidris canutus</i>	Red Knot	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Scolopacidae	<i>Calidris ruficollis</i>	Red-necked Stint	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Scolopacidae	<i>Calidris ferruginea</i>	Curlew Sandpiper	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Charadriidae	<i>Vanellus vanellus</i>	Northern Lapwing	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Phoenicopteridae	<i>Phoenicopterus roseus</i>	Greater Flamingo	1	0.2	5	1	2	0.4	6	1	0.5114	0.2784
Phasianidae	<i>Syrnaticus humiae</i>	Mrs Hume's Pheasant	2	0.4	3	0.6	1	0.2	5	0.8333	0.5009	0.2629
Accipitridae	<i>Gyps bengalensis</i>	White-rumped Vulture	5	1	5	1	4	0.8	3	0.5	0.5000	0.2616

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Accipitridae	<i>Sarcogyps calvus</i>	Red-headed Vulture	5	1	5	1	4	0.8	3	0.5	0.5000	0.2616
Accipitridae	<i>Gyps tenuirostris</i>	Slender-billed Vulture	5	1	5	1	3	0.6	3	0.5	0.5000	0.2616
Accipitridae	<i>Gyps indicus</i>	Indian Vulture	5	1	5	1	5	1	3	0.5	0.5000	0.2616
Phasianidae	<i>Galloperdix spadicea</i>	Red Spurfowl	1	0.2	5	1	5	1	5	0.8333	0.4873	0.2428
Phasianidae	<i>Gallus sonneratii</i>	Grey Junglefowl	1	0.2	5	1	5	1	5	0.8333	0.4873	0.2428
Phasianidae	<i>Pavo cristatus</i>	Indian Peafowl	1	0.2	5	1	5	1	5	0.8333	0.4873	0.2428
Anatidae	<i>Marmaronetta angustirostris</i>	Marbled Teal	3	0.6	2	0.4	1	0.2	4	0.6667	0.4845	0.2386
Gruidae	<i>Anthropoides virgo</i>	Demoiselle Crane	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Gruidae	<i>Grus grus</i>	Common Crane	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Ciconiidae	<i>Ciconia ciconia</i>	White Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Charadriidae	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	1	0.2	4	0.8	5	1	5	0.8333	0.4690	0.2158
Phasianidae	<i>Francolinus pictus</i>	Painted Francolin	1	0.2	4	0.8	5	1	5	0.8333	0.4690	0.2158
Phasianidae	<i>Galloperdix lunulata</i>	Painted Spurfowl	1	0.2	4	0.8	5	1	5	0.8333	0.4690	0.2158
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	2	0.4	5	1	3	0.6	4	0.6667	0.4687	0.2153
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	2	0.4	5	1	3	0.6	4	0.6667	0.4687	0.2153
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	3	0.6	4	0.6667	0.4687	0.2153
Psittacidae	<i>Palaeornis eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	3	0.6	4	0.6667	0.4551	0.1952
Accipitridae	<i>Haliaeetus leucoryphus</i>	Pallas's Fish-eagle	4	0.8	5	1	1	0.2	3	0.5	0.4518	0.1903
Accipitridae	<i>Neophron percnopterus</i>	Egyptian Vulture	4	0.8	5	1	1	0.2	3	0.5	0.4518	0.1903
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	3	0.5	0.4518	0.1903
Phasianidae	<i>Coturnix coromandelica</i>	Rain Quail	1	0.2	3	0.6	5	1	5	0.8333	0.4487	0.1858
Falconidae	<i>Falco cherrug</i>	Saker Falcon	4	0.8	4	0.8	1	0.2	3	0.5	0.4472	0.1836
Charadriidae	<i>Charadrius dubius</i>	Little Ringed Plover	1	0.2	4	0.8	3	0.6	5	0.8333	0.4262	0.1525
Phasianidae	<i>Perdica asiatica</i>	Jungle Bush-quail	1	0.2	2	0.4	5	1	5	0.8333	0.4262	0.1525
Phasianidae	<i>Perdica argoondah</i>	Rock Bush-quail	1	0.2	2	0.4	5	1	5	0.8333	0.4262	0.1525
Phasianidae	<i>Perdica erythrorhyncha</i>	Painted Bush-quail	1	0.2	2	0.4	5	1	5	0.8333	0.4262	0.1525
Phasianidae	<i>Lophophorus impejanus</i>	Himalayan Monal	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.1525
Accipitridae	<i>Clanga hastata</i>	Indian Spotted Eagle	3	0.6	5	1	5	1	3	0.5	0.4217	0.1459

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Anatidae	<i>Mareca falcata</i>	Falcated Duck	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Himalayapsitta roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Psittacula derbiana</i>	Lord Derby's Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa erythropus</i>	Spotted Redshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Arenaria interpres</i>	Ruddy Turnstone	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Charadriidae	<i>Vanellus indicus</i>	Red-wattled Lapwing	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.1153
Dromadidae	<i>Dromas ardeola</i>	Crab-plover	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Pelecanidae	<i>Pelecanus onocrotalus</i>	Great White Pelican	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Phasianidae	<i>Francolinus pondicerianus</i>	Grey Francolin	1	0.2	2	0.4	4	0.8	5	0.8333	0.4010	0.1153
Phasianidae	<i>Arborophila torqueola</i>	Hill Partridge	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.1153
Phasianidae	<i>Pucrasia macrolopha</i>	Koklass Pheasant	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Phasianidae	<i>Gallus gallus</i>	Red Junglefowl	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.1153
Phasianidae	<i>Lophura leucomelanos</i>	Kalij Pheasant	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.1153
Anatidae	<i>Aythya nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Psittacidae	<i>Himalayapsitta finschii</i>	Grey-headed Parakeet	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Picidae	<i>Mulleripicus pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Apodidae	<i>Apus acuticauda</i>	Dark-rumped Swift	3	0.6	3	0.6	3	0.6	3	0.5	0.3964	0.1085
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Aquila rapax</i>	Tawny Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Strigidae	<i>Bubo bengalensis</i>	Rock Eagle-owl	1	0.2	5	1	5	1	4	0.6667	0.3899	0.0989
Strigidae	<i>Strix ocellata</i>	Mottled Wood-owl	1	0.2	5	1	5	1	4	0.6667	0.3899	0.0989
Threskiornithidae	<i>Pseudibis papillosa</i>	Red-naped Ibis	1	0.2	5	1	5	1	4	0.6667	0.3899	0.0989
Strigidae	<i>Bubo coromandus</i>	Dusky Eagle-owl	1	0.2	5	1	4	0.8	4	0.6667	0.3752	0.0773

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Strigidae	<i>Glaucidium radiatum</i>	Jungle Owlet	1	0.2	4	0.8	5	1	4	0.6667	0.3752	0.0773
Pteroclididae	<i>Pterocles indicus</i>	Painted Sandgrouse	1	0.2	4	0.8	5	1	4	0.6667	0.3752	0.0773
Ardeidae	<i>Ardeola grayii</i>	Indian Pond-heron	1	0.2	5	1	4	0.8	4	0.6667	0.3752	0.0773
Burhinidae	<i>Burhinus indicus</i>	Indian Thick-knee	1	0.2	5	1	4	0.8	4	0.6667	0.3752	0.0773
Turnicidae	<i>Turnix tanki</i>	Yellow-legged Buttonquail	1	0.2	3	0.6	2	0.4	5	0.8333	0.3727	0.0735
Turnicidae	<i>Turnix suscitator</i>	Barred Buttonquail	1	0.2	3	0.6	2	0.4	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	2	0.4	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Limnocryptes minimus</i>	Jack Snipe	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Xenus cinereus</i>	Terek Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris alba</i>	Sanderling	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris subminuta</i>	Long-toed Stint	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris alpina</i>	Dunlin	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris pugnax</i>	Ruff	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Ibidorhynchidae	<i>Ibidorhyncha struthersii</i>	Ibisbill	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Pluvialis fulva</i>	Pacific Golden Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius hiaticula</i>	Common Ringed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius placidus</i>	Long-billed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius mongolus</i>	Lesser Sandplover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius leschenaultii</i>	Greater Sandplover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus cinereus</i>	Grey-headed Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus leucurus</i>	White-tailed Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Lerwa lerwa</i>	Snow Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Tetraogallus tibetanus</i>	Tibetan Snowcock	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Tetraophasis szechenyii</i>	Buff-throated Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Francolinus francolinus</i>	Black Francolin	1	0.2	2	0.4	3	0.6	5	0.8333	0.3727	0.0735

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Phasianidae	<i>Arborophila rufogularis</i>	Rufous-throated Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Bambusicola fytchii</i>	Mountain Bamboo-partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Ithaginis cruentus</i>	Blood Pheasant	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius alexandrinus</i>	Kentish Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Psittacidae	<i>Himalayapsitta cyanocephala</i>	Plum-headed Parakeet	1	0.2	3	0.6	5	1	4	0.6667	0.3590	0.0533
Psittacidae	<i>Nicopsitta columboides</i>	Malabar Parakeet	1	0.2	3	0.6	5	1	4	0.6667	0.3590	0.0533
Strigidae	<i>Ketupa zeylonensis</i>	Brown Fish-owl	1	0.2	5	1	3	0.6	4	0.6667	0.3590	0.0533
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	1	0.2	5	1	3	0.6	4	0.6667	0.3590	0.0533
Falconidae	<i>Falco jugger</i>	Laggar Falcon	2	0.4	4	0.8	4	0.8	3	0.5	0.3515	0.0422
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	4	0.6667	0.3465	0.0348
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	2	0.4	3	0.5	0.3413	0.0272
Falconidae	<i>Falco chicquera</i>	Red-headed Falcon	2	0.4	3	0.6	4	0.8	3	0.5	0.3413	0.0272
Psittacidae	<i>Himalayapsitta himalayana</i>	Slaty-headed Parakeet	1	0.2	4	0.8	3	0.6	4	0.6667	0.3409	0.0266
Strigidae	<i>Athene brama</i>	Spotted Owlet	1	0.2	4	0.8	3	0.6	4	0.6667	0.3409	0.0266
Rallidae	<i>Zapornia akool</i>	Brown Crane	1	0.2	3	0.6	4	0.8	4	0.6667	0.3409	0.0266
Laridae	<i>Larus ichthyaetus</i>	Pallas's Gull	1	0.2	5	1	2	0.4	4	0.6667	0.3409	0.0266
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	1	0.2	5	1	2	0.4	4	0.6667	0.3409	0.0266
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	1	0.2	4	0.8	3	0.6	4	0.6667	0.3409	0.0266
Phalacrocoracidae	<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	1	0.2	4	0.8	3	0.6	4	0.6667	0.3409	0.0266
Strigidae	<i>Otus bakkamoena</i>	Indian Scops-owl	1	0.2	2	0.4	5	1	4	0.6667	0.3409	0.0266
Turnicidae	<i>Turnix sylvaticus</i>	Common Buttonquail	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Scolopax rusticola</i>	Eurasian Woodcock	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago solitaria</i>	Solitary Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago megala</i>	Swinhoe's Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago gallinago</i>	Common Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Actitis hypoleucos</i>	Common Sandpiper	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Calidris minuta</i>	Little Stint	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Phasianidae	<i>Tetraogallus himalayensis</i>	Himalayan Snowcock	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Phasianidae	<i>Perdix hodgsoniae</i>	Tibetan Partridge	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Phasianidae	<i>Synoicus chinensis</i>	Asian Blue Quail	1	0.2	2	0.4	2	0.4	5	0.8333	0.3408	0.0264
Glareolidae	<i>Rhinoptilus bitorquatus</i>	Jerdon's Courser	5	1	4	0.8	5	1	2	0.3333	0.3333	0.0154
Alcedinidae	<i>Pelargopsis amauroptera</i>	Brown-winged Kingfisher	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Gypaetus barbatus</i>	Bearded Vulture	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100

NEPAL

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Otididae	<i>Houbaropsis bengalensis</i>	Bengal Florican	5	1	5	1	1	0.2	6	1	1	1
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	6	1	0.7928	0.6940
Gruidae	<i>Grus antigone</i>	Sarus Crane	3	0.6	5	1	1	0.2	6	1	0.7928	0.6940
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	4	0.8	1	0.2	5	0.8333	0.6455	0.4764
Phasianidae	<i>Francolinus gularis</i>	Swamp Francolin	3	0.6	4	0.8	1	0.2	5	0.8333	0.6455	0.4764
Phasianidae	<i>Catreus wallichii</i>	Cheer Pheasant	3	0.6	3	0.6	2	0.4	5	0.8333	0.6455	0.4764
Charadriidae	<i>Vanellus vanellus</i>	Northern Lapwing	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Anatidae	<i>Aythya ferina</i>	Common Pochard	3	0.6	4	0.8	1	0.2	4	0.6667	0.5164	0.2858
Accipitridae	<i>Gyps tenuirostris</i>	Slender-billed Vulture	5	1	5	1	1	0.2	3	0.5	0.5000	0.2616
Accipitridae	<i>Gyps bengalensis</i>	White-rumped Vulture	5	1	5	1	1	0.2	3	0.5	0.5000	0.2616
Accipitridae	<i>Sarcogyps calvus</i>	Red-headed Vulture	5	1	5	1	1	0.2	3	0.5	0.5000	0.2616

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Ciconiidae	<i>Ciconia ciconia</i>	White Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Gruidae	<i>Grus grus</i>	Common Crane	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Gruidae	<i>Anthropoides virgo</i>	Demoiselle Crane	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	3	0.5	0.4518	0.1903
Accipitridae	<i>Neophron percnopterus</i>	Egyptian Vulture	4	0.8	5	1	1	0.2	3	0.5	0.4518	0.1903
Accipitridae	<i>Haliaeetus leucoryphus</i>	Pallas's Fish-eagle	4	0.8	5	1	1	0.2	3	0.5	0.4518	0.1903
Falconidae	<i>Falco cherrug</i>	Saker Falcon	4	0.8	4	0.8	1	0.2	3	0.5	0.4472	0.1836
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Anatidae	<i>Mareca falcata</i>	Falcated Duck	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Palaeornis eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Himalayapsitta roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Scolopacidae	<i>Tringa nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Phasianidae	<i>Pucrasia macrolopha</i>	Koklass Pheasant	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Phasianidae	<i>Pavo cristatus</i>	Indian Peafowl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Phasianidae	<i>Lophophorus impejanus</i>	Himalayan Monal	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Anatidae	<i>Aythya nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Clanga hastata</i>	Indian Spotted Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Picidae	<i>Mulleripicus pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Charadriidae	<i>Charadrius mongolus</i>	Lesser Sandplover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius dubius</i>	Little Ringed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius alexandrinus</i>	Kentish Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Charadriidae	<i>Vanellus indicus</i>	Red-wattled Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Pluvialis fulva</i>	Pacific Golden Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius placidus</i>	Long-billed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus cinereus</i>	Grey-headed Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Ibidorhynchidae	<i>Ibidorhyncha struthersii</i>	Ibisbill	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Lymnocyptes minimus</i>	Jack Snipe	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris alpina</i>	Dunlin	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Arborophila torqueola</i>	Hill Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Arborophila rufogularis</i>	Rufous-throated Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Tetraogallus tibetanus</i>	Tibetan Snowcock	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Ithaginis cruentus</i>	Blood Pheasant	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Lerwa lerwa</i>	Snow Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Lophura leucomelanos</i>	Kalij Pheasant	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Gallus gallus</i>	Red Junglefowl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	4	0.6667	0.3465	0.0348
Scolopacidae	<i>Scolopax rusticola</i>	Eurasian Woodcock	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago solitaria</i>	Solitary Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago gallinago</i>	Common Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Turnicidae	<i>Turnix tanki</i>	Yellow-legged Buttonquail	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Turnicidae	<i>Turnix sylvaticus</i>	Common Buttonquail	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Turnicidae	<i>Turnix suscitator</i>	Barred Buttonquail	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Phasianidae	<i>Tetraogallus himalayensis</i>	Himalayan Snowcock	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	Co	Co (s)	PwCo SI	PwCo SI (norm)
Phasianidae	<i>Perdix hodgsoniae</i>	Tibetan Partridge	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Gypaetus barbatus</i>	Bearded Vulture	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100

THAILAND

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Ciconiidae	<i>Ciconia stormi</i>	Storm's Stork	4	0.8	5	1	1	0.2	6	1	0.9035	0.8575
Scolopacidae	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	5	1	3	0.6	1	0.2	5	0.8333	0.8333	0.7539
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	6	1	0.7928	0.6940
Phasianidae	<i>Pavo muticus</i>	Green Peafowl	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.6351
Scolopacidae	<i>Calidris tenuirostris</i>	Great Knot	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.6351
Scolopacidae	<i>Tringa guttifer</i>	Spotted Greenshank	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.6351
Anatidae	<i>Aythya baeri</i>	Baer's Pochard	5	1	3	0.6	1	0.2	4	0.6667	0.6667	0.5077
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Heliornithidae	<i>Heliopais personatus</i>	Masked Finfoot	4	0.8	4	0.8	1	0.2	4	0.6667	0.5963	0.4038
Anatidae	<i>Asarcornis scutulata</i>	White-winged Duck	4	0.8	3	0.6	1	0.2	4	0.6667	0.5889	0.3929
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Numenius arquata</i>	Eurasian Curlew	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Tringa brevipes</i>	Grey-tailed Tattler	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limosa lapponica</i>	Bar-tailed Godwit	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Laridae	<i>Sterna_aurantia</i>	River Tern	3	0.6	5	1	1	0.2	4	0.6667	0.5285	0.3037
Charadriidae	<i>Charadrius_peronii</i>	Malay Plover	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Charadriidae	<i>Vanellus_duvaucelii</i>	River Lapwing	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Charadriidae	<i>Vanellus_vanellus</i>	Northern Lapwing	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Scolopacidae	<i>Calidris_ferruginea</i>	Curlew Sandpiper	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Columbidae	<i>Columba_punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	1	0.2	4	0.6667	0.5164	0.2858
Anatidae	<i>Aythya_ferina</i>	Common Pochard	3	0.6	3	0.6	1	0.2	4	0.6667	0.5019	0.2644
Ardeidae	<i>Egretta_eulophotes</i>	Chinese Egret	3	0.6	3	0.6	1	0.2	4	0.6667	0.5019	0.2644
Phasianidae	<i>Symaticus_humiae</i>	Mrs Hume's Pheasant	2	0.4	3	0.6	1	0.2	5	0.8333	0.5009	0.2629
Scolopacidae	<i>Calidris_ruficollis</i>	Red-necked Stint	2	0.4	3	0.6	1	0.2	5	0.8333	0.5009	0.2629
Columbidae	<i>Treron_capellei</i>	Large Green-pigeon	3	0.6	2	0.4	1	0.2	4	0.6667	0.4845	0.2386
Ciconiidae	<i>Ciconia_nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Ciconiidae	<i>Anastomus_oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Gruidae	<i>Grus_grus</i>	Common Crane	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Accipitridae	<i>Aquila_nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	3	0.5	0.4518	0.1903
Anhingidae	<i>Anhinga_melanogaster</i>	Oriental Darter	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Burhinidae	<i>Esacus_recurvirostris</i>	Great Thick-knee	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Burhinidae	<i>Esacus_magnirostris</i>	Beach Thick-knee	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Threskiornithidae	<i>Threskiornis_melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Phasianidae	<i>Arborophila_chloropus</i>	Green-legged Partridge	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.1525
Columbidae	<i>Ramphiculus_jambu</i>	Jambu Fruit-dove	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Himalayapsitta_roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Palaeornis_eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Psittacula_alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Apodidae	<i>Apus_acuticauda</i>	Dark-rumped Swift	3	0.6	3	0.6	5	1	3	0.5	0.4108	0.1298
Charadriidae	<i>Charadrius_dealbatus</i>	White-faced Plover	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.1153
Charadriidae	<i>Pluvialis_squatarola</i>	Grey Plover	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Dromadidae	<i>Dromas_ardeola</i>	Crab-plover	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa_totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Scolopacidae	<i>Numenius_phaeopus</i>	Whimbrel	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Arenaria_interpres</i>	Ruddy Turnstone	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa_nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa_erythropus</i>	Spotted Redshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Anatidae	<i>Aythya_nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Anatidae	<i>Mareca_falcata</i>	Falcated Duck	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Psittacidae	<i>Himalayapsitta_finschii</i>	Grey-headed Parakeet	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Psittacidae	<i>Psittinus_cyanurus</i>	Blue-rumped Parrot	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Cuculidae	<i>Carpococcyx_renauldi</i>	Coral-billed Ground-cuckoo	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Aquila_heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Clanga_clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Nisaetus_nanus</i>	Wallace's Hawk-eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Cuculidae	<i>Centropus_rectunguis</i>	Short-toed Coucal	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Picidae	<i>Mulleripicus_pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Columbidae	<i>Treron_fulvicollis</i>	Cinnamon-headed Green-pigeon	2	0.4	2	0.4	1	0.2	4	0.6667	0.3760	0.0784
Rallidae	<i>Zapornia_paykullii</i>	Band-bellied Crake	2	0.4	2	0.4	1	0.2	4	0.6667	0.3760	0.0784
Charadriidae	<i>Charadrius_leschenaultii</i>	Greater Sandplover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus_cinereus</i>	Grey-headed Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius_placidus</i>	Long-billed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius_dubius</i>	Little Ringed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius_alexandrinus</i>	Kentish Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus_indicus</i>	Red-wattled Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Pluvialis_fulva</i>	Pacific Golden Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius_mongolus</i>	Lesser Sandplover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Lophura_nycthemera</i>	Silver Pheasant	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Gallus_gallus</i>	Red Junglefowl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Lophura_leucomelanos</i>	Kalij Pheasant	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Arborophila_rufogularis</i>	Rufous-throated Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Bambusicola_fytchii</i>	Mountain Bamboo-partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Xenus cinereus</i>	Terek Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris alba</i>	Sanderling	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris pugnax</i>	Ruff	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	4	0.6667	0.3465	0.0348
Phasianidae	<i>Francolinus pintadeanus</i>	Chinese Francolin	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Calidris subminuta</i>	Long-toed Stint	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago gallinago</i>	Common Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Actitis hypoleucos</i>	Common Sandpiper	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Turnicidae	<i>Turnix sylvaticus</i>	Common Buttonquail	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Bucerotidae	<i>Rhinoplax vigil</i>	Helmeted Hornbill	5	1	5	1	1	0.2	2	0.3333	0.3333	0.0154
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Alcedinidae	<i>Pelargopsis amauroptera</i>	Brown-winged Kingfisher	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Falconidae	<i>Polihierax insignis</i>	White-rumped Pygmy-falcon	2	0.4	4	0.8	2	0.4	3	0.5	0.3297	0.0100

VIETNAM

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Gruidae	<i>Grus antigone</i>	Sarus Crane	3	0.6	5	1	2	0.4	6	1	0.8083	0.7169
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	6	1	0.7928	0.6940
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	6	1	0.6594	0.4969
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.2337
Scolopacidae	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	5	1	3	0.6	2	0.4	5	0.8333	0.8333	0.7539
Phasianidae	<i>Pavo muticus</i>	Green Peafowl	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.6351
Scolopacidae	<i>Numenius madagascariensis</i>	Far Eastern Curlew	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.6351
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	3	0.6	1	0.2	5	0.8333	0.6274	0.4498
Phasianidae	<i>Arborophila davidi</i>	Orange-necked Partridge	2	0.4	5	1	5	1	5	0.8333	0.6140	0.4299
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Numenius arquata</i>	Eurasian Curlew	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limosa lapponica</i>	Bar-tailed Godwit	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.3346
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Charadriidae	<i>Charadrius peronii</i>	Malay Plover	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Scolopacidae	<i>Calidris ferruginea</i>	Curlew Sandpiper	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.3015
Scolopacidae	<i>Calidris ruficollis</i>	Red-necked Stint	2	0.4	3	0.6	1	0.2	5	0.8333	0.5009	0.2629
Phasianidae	<i>Coturnix japonica</i>	Japanese Quail	2	0.4	1	0.2	1	0.2	5	0.8333	0.4331	0.1627
Charadriidae	<i>Charadrius dealbatus</i>	White-faced Plover	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.1153
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Phasianidae	<i>Arborophila chloropus</i>	Green-legged Partridge	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa erythropus</i>	Spotted Redshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa totanus</i>	Common Redshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Arenaria interpres</i>	Ruddy Turnstone	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Scolopacidae	<i>Tringa nebularia</i>	Common Greenshank	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.1153
Charadriidae	<i>Charadrius dubius</i>	Little Ringed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus cinereus</i>	Grey-headed Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Vanellus indicus</i>	Red-wattled Lapwing	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius veredus</i>	Oriental Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius mongolus</i>	Lesser Sandplover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Pluvialis fulva</i>	Pacific Golden Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius alexandrinus</i>	Kentish Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius placidus</i>	Long-billed Plover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Charadriidae	<i>Charadrius leschenaultii</i>	Greater Sandplover	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Lophura nycthemera</i>	Silver Pheasant	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Bambusicola fytchii</i>	Mountain Bamboo-partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Arborophila rufogularis</i>	Rufous-throated Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Arborophila torqueola</i>	Hill Partridge	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Gallus gallus</i>	Red Junglefowl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris subminuta</i>	Long-toed Stint	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa glareola</i>	Wood Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Xenus cinereus</i>	Terek Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris pugnax</i>	Ruff	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa stagnatilis</i>	Marsh Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris alpina</i>	Dunlin	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Calidris alba</i>	Sanderling	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Scolopacidae	<i>Tringa ochropus</i>	Green Sandpiper	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.0735
Phasianidae	<i>Francolinus pintadeanus</i>	Chinese Francolin	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Lymnocyptes minimus</i>	Jack Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago gallinago</i>	Common Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Gallinago stenura</i>	Pintail Snipe	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Scolopacidae	<i>Actitis hypoleucos</i>	Common Sandpiper	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Turnicidae	<i>Turnix sylvaticus</i>	Common Buttonquail	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.0264
Anatidae	<i>Aythya baeri</i>	Baer's Pochard	5	1	3	0.6	1	0.2	4	0.6667	0.6667	0.5077
Threskiornithidae	<i>Platalea minor</i>	Black-faced Spoonbill	4	0.8	5	1	1	0.2	4	0.6667	0.6024	0.4127
Ardeidae	<i>Oroanassa magnifica</i>	White-eared Night-heron	4	0.8	4	0.8	1	0.2	4	0.6667	0.5963	0.4038
Anatidae	<i>Asarcornis scutulata</i>	White-winged Duck	4	0.8	3	0.6	1	0.2	4	0.6667	0.5889	0.3929
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	3	0.6	5	1	1	0.2	4	0.6667	0.5285	0.3037
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	1	0.2	4	0.6667	0.5164	0.2858
Anatidae	<i>Aythya ferina</i>	Common Pochard	3	0.6	3	0.6	1	0.2	4	0.6667	0.5019	0.2644
Ardeidae	<i>Egretta eulophotes</i>	Chinese Egret	3	0.6	3	0.6	1	0.2	4	0.6667	0.5019	0.2644
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	2	0.4	5	1	1	0.2	4	0.6667	0.4396	0.1723
Anatidae	<i>Mareca falcata</i>	Falcated Duck	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Himalayapsitta roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Palaeornis eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	4	0.6667	0.4216	0.1458
Anatidae	<i>Aythya nyroca</i>	Ferruginous Duck	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Psittacidae	<i>Himalayapsitta finschii</i>	Grey-headed Parakeet	2	0.4	3	0.6	1	0.2	4	0.6667	0.4007	0.1149
Rallidae	<i>Zapornia paykullii</i>	Band-bellied Crake	2	0.4	2	0.4	1	0.2	4	0.6667	0.3760	0.0784
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	4	0.6667	0.3465	0.0348
Cuculidae	<i>Carpococcyx renauldi</i>	Coral-billed Ground-cuckoo	3	0.6	5	1	2	0.4	3	0.5	0.4041	0.1200
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Corvidae	<i>Corvus pectoralis</i>	Collared Crow	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Picidae	<i>Mulleripicus pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	3	0.5	0.3964	0.1085
Picidae	<i>Picus rabieri</i>	Red-collared Woodpecker	2	0.4	4	0.8	3	0.6	3	0.5	0.3413	0.0272
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwCo	PwCo (s)	PwCo SI	PwCo SI (norm)
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	3	0.5	0.3297	0.0100

Table S3. List of species included in the powerline electrocution assessment analysis per country. Parameters included in the calculation of the sensitivity indexes and the scaled values after dividing by the maximum category value (s). Conservation status (CnS), annual survival (Su), endemism (En), powerline electrocution (PwEc). Powerline electrocution sensitivity indexes (PwEcSI) were calculated and normalized afterwards (PwEcSI (norm)). See main text for in-depth explanation.

INDIA

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Ciconiidae	<i>Leptoptilos dubius</i>	Greater Adjutant	4	0.8	5	1	3	0.6	6	1	0.9178	1
Accipitridae	<i>Gyps bengalensis</i>	White-rumped Vulture	5	1	5	1	4	0.8	5	0.8333	0.8333	0.8747
Accipitridae	<i>Sarcogyps calvus</i>	Red-headed Vulture	5	1	5	1	4	0.8	5	0.8333	0.8333	0.8747
Accipitridae	<i>Gyps tenuirostris</i>	Slender-billed Vulture	5	1	5	1	3	0.6	5	0.8333	0.8333	0.8747
Accipitridae	<i>Gyps indicus</i>	Indian Vulture	5	1	5	1	5	1	5	0.8333	0.8333	0.8747
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	3	0.6	6	1	0.8216	0.8573
Strigidae	<i>Athene blewitti</i>	Forest Owlet	4	0.8	4	0.8	5	1	5	0.8333	0.7695	0.7799
Accipitridae	<i>Haliaeetus leucoryphus</i>	Pallas's Fish-eagle	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.7553
Accipitridae	<i>Neophron percnopterus</i>	Egyptian Vulture	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.7553
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.7553
Falconidae	<i>Falco cherrug</i>	Saker Falcon	4	0.8	4	0.8	1	0.2	5	0.8333	0.7454	0.7440
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	4	0.8	6	1	0.7209	0.7077
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	4	0.8	6	1	0.7209	0.7077
Accipitridae	<i>Clanga hastata</i>	Indian Spotted Eagle	3	0.6	5	1	5	1	5	0.8333	0.7029	0.6809
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	2	0.4	6	1	0.6826	0.6509
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Accipitridae	<i>Aquila rapax</i>	Tawny Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Falconidae	<i>Falco jugger</i>	Laggar Falcon	2	0.4	4	0.8	4	0.8	5	0.8333	0.5858	0.5072
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	2	0.4	5	0.8333	0.5689	0.4820
Falconidae	<i>Falco chicquera</i>	Red-headed Falcon	2	0.4	3	0.6	4	0.8	5	0.8333	0.5689	0.4820
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	4	0.8	6	1	0.5628	0.4730
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Ichthyophaga ichhyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Gypaetus barbatus</i>	Bearded Vulture	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Circus macrourus</i>	Pallid Harrier	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.4199
Strigidae	<i>Bubo bengalensis</i>	Rock Eagle-owl	1	0.2	5	1	5	1	5	0.8333	0.4873	0.3609
Strigidae	<i>Strix ocellata</i>	Mottled Wood-owl	1	0.2	5	1	5	1	5	0.8333	0.4873	0.3609
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Ciconiidae	<i>Ciconia ciconia</i>	White Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Strigidae	<i>Bubo coromandus</i>	Dusky Eagle-owl	1	0.2	5	1	4	0.8	5	0.8333	0.4690	0.3337
Strigidae	<i>Glaucidium radiatum</i>	Jungle Owlet	1	0.2	4	0.8	5	1	5	0.8333	0.4690	0.3337
Strigidae	<i>Ketupa zeylonensis</i>	Brown Fish-owl	1	0.2	5	1	3	0.6	5	0.8333	0.4487	0.3036
Accipitridae	<i>Butastur teesa</i>	White-eyed Buzzard	1	0.2	4	0.8	4	0.8	5	0.8333	0.4487	0.3036
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	3	0.6	5	0.8333	0.4487	0.3036
Accipitridae	<i>Buteo reffectus</i>	Himalayan Buzzard	1	0.2	5	1	3	0.6	5	0.8333	0.4487	0.3036
Strigidae	<i>Athene brama</i>	Spotted Owlet	1	0.2	4	0.8	3	0.6	5	0.8333	0.4262	0.2701
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.2701
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.2701
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.2701
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.2701
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.2701
Strigidae	<i>Otus bakkamoena</i>	Indian Scops-owl	1	0.2	2	0.4	5	1	5	0.8333	0.4262	0.2701
Columbidae	<i>Columba elphinstonii</i>	Nilgiri Woodpigeon	3	0.6	4	0.8	5	1	3	0.5	0.4166	0.2559
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	5	1	3	0.5	0.4166	0.2559

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Strigidae	<i>Bubo bubo</i>	Eurasian Eagle-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa flavipes</i>	Tawny Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa ketupu</i>	Buffy Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Pandionidae	<i>Pandion haliaetus</i>	Osprey	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aviceda jerdoni</i>	Jerdon's Baza	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied Sea-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Haliaeetus albicilla</i>	White-tailed Sea-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Gyps fulvus</i>	Griffon Vulture	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.2327
Accipitridae	<i>Buteo hemilasius</i>	Upland Buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aquila chrysaetos</i>	Golden Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Hieraetus pennatus</i>	Booted Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Strix aluco</i>	Tawny Owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Strix niviculum</i>	Himalayan Owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ninox scutulata</i>	Brown Boobook	1	0.2	4	0.8	2	0.4	5	0.8333	0.4010	0.2327
Accipitridae	<i>Circaetus gallicus</i>	Short-toed Snake-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Buteo rufinus</i>	Long-legged Buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Buteo buteo</i>	Eurasian Buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Columbidae	<i>Columba eversmanni</i>	Yellow-eyed Pigeon	3	0.6	3	0.6	3	0.6	3	0.5	0.3964	0.2259
Corvidae	<i>Dendrocitta leucogastra</i>	White-bellied Treepie	1	0.2	4	0.8	5	1	4	0.6667	0.3752	0.1945
Strigidae	<i>Otus brucei</i>	Pallid Scops-owl	1	0.2	1	0.2	4	0.8	5	0.8333	0.3727	0.1907
Strigidae	<i>Glaucidium cuculoides</i>	Asian Barred Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Athene noctua</i>	Little Owl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus aeruginosus</i>	Western Marsh-harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus pygargus</i>	Montagu's Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Accipiter gentilis</i>	Northern Goshawk	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Falconidae	<i>Falco amurensis</i>	Amur Falcon	1	0.2	3	0.6	2	0.4	5	0.8333	0.3727	0.1907
Falconidae	<i>Falco subbuteo</i>	Eurasian Hobby	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Tytonidae	<i>Phodilus badius</i>	Oriental Bay-owl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Corvidae	<i>Dendrocitta vagabunda</i>	Rufous Treepie	1	0.2	4	0.8	4	0.8	4	0.6667	0.3590	0.1704
Corvidae	<i>Corvus splendens</i>	House Crow	1	0.2	4	0.8	4	0.8	4	0.6667	0.3590	0.1704
Psittacidae	<i>Palaeornis eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	3	0.6	3	0.5	0.3413	0.1441
Corvidae	<i>Urocissa flavirostris</i>	Yellow-billed Blue Magpie	1	0.2	4	0.8	3	0.6	4	0.6667	0.3409	0.1436
Corvidae	<i>Dendrocitta frontalis</i>	Collared Treepie	1	0.2	4	0.8	3	0.6	4	0.6667	0.3409	0.1436
Tytonidae	<i>Tyto alba</i>	Common Barn-owl	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Strigidae	<i>Asio flammeus</i>	Short-eared Owl	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Microhierax caerulescens</i>	Collared Falconet	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Microhierax melanoleucos</i>	Pied Falconet	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco naumanni</i>	Lesser Kestrel	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco tinnunculus</i>	Common Kestrel	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco columbarius</i>	Merlin	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco severus</i>	Oriental Hobby	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Charadriidae	<i>Vanellus gregarius</i>	Sociable Lapwing	5	1	4	0.8	1	0.2	2	0.3333	0.3333	0.1323
Ardeidae	<i>Ardea insignis</i>	White-bellied Heron	5	1	4	0.8	3	0.6	2	0.3333	0.3333	0.1323
Corvidae	<i>Garrulus lanceolatus</i>	Black-headed Jay	1	0.2	4	0.8	2	0.4	4	0.6667	0.3208	0.1136
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	4	0.6667	0.3208	0.1136
Psittacidae	<i>Himalayapsitta roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Psittacidae	<i>Psittacula derbiana</i>	Lord Derby's Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Laridae	<i>Sterna acuticauda</i>	Black-bellied Tern	4	0.8	5	1	5	1	2	0.3333	0.3094	0.0968
Laridae	<i>Rynchops albicollis</i>	Indian Skimmer	4	0.8	4	0.8	5	1	2	0.3333	0.3078	0.0944
Muscicapidae	<i>Sholicola major</i>	Nilgiri Sholakili	4	0.8	3	0.6	5	1	2	0.3333	0.3059	0.0916
Tytonidae	<i>Tyto longimembris</i>	Eastern Grass-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Glaucidium brodiei</i>	Collared Owlet	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Otus sunia</i>	Oriental Scops-owl	1	0.2	1	0.2	2	0.4	5	0.8333	0.3048	0.0899
Strigidae	<i>Otus lettia</i>	Collared Scops-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Scolopacidae	<i>Calidris tenuirostris</i>	Great Knot	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Scolopacidae	<i>Tringa guttifer</i>	Spotted Greenshank	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Psittacidae	<i>Himalayapsitta finschii</i>	Grey-headed Parakeet	2	0.4	3	0.6	1	0.2	3	0.5	0.3005	0.0836
Corvidae	<i>Urocissa erythroryncha</i>	Red-billed Blue Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Cissa chinensis</i>	Common Green Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Dendrocitta formosae</i>	Grey Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Pyrrhocorax pyrrhocorax</i>	Red-billed Chough	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Pyrrhocorax gracula</i>	Yellow-billed Chough	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Corvus corax</i>	Common Raven	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Pica pica</i>	Eurasian Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Bucerotidae	<i>Ocyrceros griseus</i>	Malabar Grey Hornbill	3	0.6	4	0.8	5	1	2	0.3333	0.2777	0.0497
Muscicapidae	<i>Sholicola albiventris</i>	White-bellied Sholakili	3	0.6	4	0.8	5	1	2	0.3333	0.2777	0.0497
Laridae	<i>Sterna aurantia</i>	River Tern	3	0.6	5	1	3	0.6	2	0.3333	0.2739	0.0440
Corvidae	<i>Nucifraga hemispila</i>	Southern Nutcracker	1	0.2	3	0.6	1	0.2	4	0.6667	0.2726	0.0422
Corvidae	<i>Nucifraga multipunctata</i>	Large-spotted Nutcracker	1	0.2	3	0.6	1	0.2	4	0.6667	0.2726	0.0422
Bucerotidae	<i>Aceros nipalensis</i>	Rufous-necked Hornbill	3	0.6	5	1	2	0.4	2	0.3333	0.2694	0.0374
Muscicapidae	<i>Ficedula subrubra</i>	Kashmir Flycatcher	3	0.6	2	0.4	5	1	2	0.3333	0.2694	0.0374
Muscicapidae	<i>Saxicola macrorhynchus</i>	White-browed Bushchat	3	0.6	2	0.4	5	1	2	0.3333	0.2694	0.0374
Psittacidae	<i>Himalayapsitta cyanocephala</i>	Plum-headed Parakeet	1	0.2	3	0.6	5	1	3	0.5	0.2692	0.0371
Psittacidae	<i>Nicopsitta columboides</i>	Malabar Parakeet	1	0.2	3	0.6	5	1	3	0.5	0.2692	0.0371
Coraciidae	<i>Coracias benghalensis</i>	Indian Roller	1	0.2	4	0.8	4	0.8	3	0.5	0.2692	0.0371

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Picidae	<i>Mulleripicus pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Rhyticeros undulatus</i>	Wreathed Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	4	0.8	2	0.4	2	0.3333	0.2643	0.0297
Muscicapidae	<i>Saxicola insignis</i>	White-throated Bushchat	3	0.6	2	0.4	4	0.8	2	0.3333	0.2643	0.0297
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	3	0.5	0.2599	0.0232
Psittacidae	<i>Himalayapsitta himalayana</i>	Slaty-headed Parakeet	1	0.2	4	0.8	3	0.6	3	0.5	0.2557	0.0170

NEPAL

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Accipitridae	<i>Gyps tenuirostris</i>	Slender-billed Vulture	5	1	5	1	1	0.2	5	0.8333	0.8333	0.8747
Accipitridae	<i>Gyps bengalensis</i>	White-rumped Vulture	5	1	5	1	1	0.2	5	0.8333	0.8333	0.8747
Accipitridae	<i>Sarcogyps calvus</i>	Red-headed Vulture	5	1	5	1	1	0.2	5	0.8333	0.8333	0.8747
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	6	1	0.7928	0.8145
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.7553
Accipitridae	<i>Neophron percnopterus</i>	Egyptian Vulture	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.7553
Accipitridae	<i>Haliaeetus leucoryphus</i>	Pallas's Fish-eagle	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.7553
Falconidae	<i>Falco cherrug</i>	Saker Falcon	4	0.8	4	0.8	1	0.2	5	0.8333	0.7454	0.7440
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Accipitridae	<i>Clanga hastata</i>	Indian Spotted Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Gypaetus barbatus</i>	Bearded Vulture	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Circus macrourus</i>	Pallid Harrier	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.4199
Falconidae	<i>Falco jugger</i>	Laggar Falcon	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.4199
Falconidae	<i>Falco chicquera</i>	Red-headed Falcon	2	0.4	3	0.6	1	0.2	5	0.8333	0.5009	0.3811
Ciconiidae	<i>Ciconia ciconia</i>	White Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Accipitridae	<i>Buteo refectus</i>	Himalayan Buzzard	1	0.2	5	1	2	0.4	5	0.8333	0.4262	0.2701
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aquila chrysaetos</i>	Golden Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Circaetus gallicus</i>	Short-toed Snake-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Buteo rufinus</i>	Long-legged Buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Hieraaetus pennatus</i>	Booted Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Gyps fulvus</i>	Griffon Vulture	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Haliaeetus albicilla</i>	White-tailed Sea-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Buteo hemilasius</i>	Upland Buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Strix niviculum</i>	Himalayan Owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa flavipes</i>	Tawny Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Bubo coromandus</i>	Dusky Eagle-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa zeylonensis</i>	Brown Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Bubo bengalensis</i>	Rock Eagle-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Pandionidae	<i>Pandion haliaetus</i>	Osprey	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Accipiter gentilis</i>	Northern Goshawk	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus aeruginosus</i>	Western Marsh-harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Butastur teesa</i>	White-eyed Buzzard	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Falconidae	<i>Falco subbuteo</i>	Eurasian Hobby	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Glaucidium cuculoides</i>	Asian Barred Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Athene noctua</i>	Little Owl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Ninox scutulata</i>	Brown Boobook	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Glaucidium radiatum</i>	Jungle Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Athene brama</i>	Spotted Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Microhierax caerulescens</i>	Collared Falconet	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco columbarius</i>	Merlin	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco severus</i>	Oriental Hobby	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco amurensis</i>	Amur Falcon	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco tinnunculus</i>	Common Kestrel	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco naumanni</i>	Lesser Kestrel	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Strigidae	<i>Asio otus</i>	Northern Long-eared Owl	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Strigidae	<i>Asio flammeus</i>	Short-eared Owl	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Tytonidae	<i>Tyto alba</i>	Common Barn-owl	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	4	0.6667	0.3208	0.1136

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Corvidae	<i>Urocissa flavirostris</i>	Yellow-billed Blue Magpie	1	0.2	4	0.8	2	0.4	4	0.6667	0.3208	0.1136
Corvidae	<i>Garrulus lanceolatus</i>	Black-headed Jay	1	0.2	4	0.8	2	0.4	4	0.6667	0.3208	0.1136
Psittacidae	<i>Palaeornis eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Psittacidae	<i>Himalayapsitta roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Strigidae	<i>Glaucidium brodiei</i>	Collared Owlet	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Otus bakkamoena</i>	Indian Scops-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Otus lettia</i>	Collared Scops-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Tytonidae	<i>Tyto longimembris</i>	Eastern Grass-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Corvidae	<i>Pyrrhonorax graculus</i>	Yellow-billed Chough	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Garrulus bispecularis</i>	Plain-crowned Jay	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Urocissa erythroryncha</i>	Red-billed Blue Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Corvus splendens</i>	House Crow	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Cissa chinensis</i>	Common Green Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Dendrocitta vagabunda</i>	Rufous Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Corvus corax</i>	Common Raven	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Pyrrhonorax pyrrhonorax</i>	Red-billed Chough	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Dendrocitta formosae</i>	Grey Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Nucifraga hemispila</i>	Southern Nutcracker	1	0.2	3	0.6	1	0.2	4	0.6667	0.2726	0.0422
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Picidae	<i>Mulleripicus pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Strigidae	<i>Otus sunia</i>	Oriental Scops-owl	1	0.2	1	0.2	1	0.2	5	0.8333	0.2640	0.0293
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	3	0.5	0.2599	0.0232
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	4	0.8	1	0.2	2	0.3333	0.2582	0.0207
Muscicapidae	<i>Saxicola insignis</i>	White-throated Bushchat	3	0.6	2	0.4	2	0.4	2	0.3333	0.2510	0.0100

THAILAND

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Ciconiidae	<i>Ciconia stormi</i>	Storm's Stork	4	0.8	5	1	1	0.2	6	1	0.9035	0.9789
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	6	1	0.7928	0.8145
Accipitridae	<i>Aquila nipalensis</i>	Steppe Eagle	4	0.8	5	1	1	0.2	5	0.8333	0.7530	0.7553
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Accipitridae	<i>Nisaetus nanus</i>	Wallace's Hawk-eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163
Ciconiidae	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Gyps himalayensis</i>	Himalayan Griffon	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Falconidae	<i>Polihierax insignis</i>	White-rumped Pygmy-falcon	2	0.4	4	0.8	2	0.4	5	0.8333	0.5495	0.4532
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Macheiramphus alcinus</i>	Bat Hawk	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Hieraaetus pennatus</i>	Booted Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Buteo japonicus</i>	Japanese Buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied Sea-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aviceda jerdoni</i>	Jerdon's Baza	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Nisaetus alboniger</i>	Blyth's Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Pandionidae	<i>Pandion haliaetus</i>	Osprey	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa zeylonensis</i>	Brown Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa ketupu</i>	Buffy Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Bubo coromandus</i>	Dusky Eagle-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Strix niviculum</i>	Himalayan Owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Strix seloputo</i>	Spotted Wood-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Bubo sumatranus</i>	Barred Eagle-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	1	0.2	3	0.5	0.3873	0.2124
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Butastur teesa</i>	White-eyed Buzzard	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus spilonotus</i>	Eastern Marsh-harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Butastur indicus</i>	Grey-faced Buzzard	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Butastur liventer</i>	Rufous-winged Buzzard	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Falconidae	<i>Microhierax caerulescens</i>	Collared Falconet	1	0.2	3	0.6	2	0.4	5	0.8333	0.3727	0.1907
Strigidae	<i>Athene brama</i>	Spotted Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Ninox scutulata</i>	Brown Boobook	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Glaucidium cuculoides</i>	Asian Barred Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Tytonidae	<i>Phodilus badius</i>	Oriental Bay-owl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Columbidae	<i>Treron capellei</i>	Large Green-pigeon	3	0.6	2	0.4	1	0.2	3	0.5	0.3633	0.1768
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Accipitridae	<i>Accipiter soloensis</i>	Chinese Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter gularis</i>	Japanese Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Microhierax fringillarius</i>	Black-thighed Falconet	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco amurensis</i>	Amur Falcon	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco severus</i>	Oriental Hobby	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Tytonidae	<i>Tyto alba</i>	Common Barn-owl	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Bucerotidae	<i>Rhinoplax vigil</i>	Helmeted Hornbill	5	1	5	1	1	0.2	2	0.3333	0.3333	0.1323
Scolopacidae	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	5	1	3	0.6	1	0.2	2	0.3333	0.3333	0.1323
Corvidae	<i>Platysmurus leucopterus</i>	Malay Black Magpie	1	0.2	5	1	1	0.2	4	0.6667	0.3208	0.1136
Corvidae	<i>Crypsirina temia</i>	Racquet-tailed Treepie	1	0.2	4	0.8	2	0.4	4	0.6667	0.3208	0.1136
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	4	0.6667	0.3208	0.1136
Corvidae	<i>Garrulus leucotis</i>	White-faced Jay	1	0.2	4	0.8	2	0.4	4	0.6667	0.3208	0.1136
Columbidae	<i>Ramphiculus jambu</i>	Jambu Fruit-dove	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Psittacidae	<i>Himalayapsitta roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Psittacidae	<i>Palaeornis eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Falconidae	<i>Falco tinnunculus</i>	Common Kestrel	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Asio flammeus</i>	Short-eared Owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Otus lettia</i>	Collared Scops-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Otus lempiji</i>	Sunda Scops-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Glaucidium brodiei</i>	Collared Owlet	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Tytonidae	<i>Tyto longimembris</i>	Eastern Grass-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Bucerotidae	<i>Berenicornis comatus</i>	White-crowned Hornbill	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Bucerotidae	<i>Rhabdotorrhinus corrugatus</i>	Wrinkled Hornbill	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Scolopacidae	<i>Calidris tenuirostris</i>	Great Knot	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Scolopacidae	<i>Tringa guttifer</i>	Spotted Greenshank	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Psittacidae	<i>Himalayapsitta finschii</i>	Grey-headed Parakeet	2	0.4	3	0.6	1	0.2	3	0.5	0.3005	0.0836

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Psittacidae	<i>Psittinus cyanurus</i>	Blue-rumped Parrot	2	0.4	3	0.6	1	0.2	3	0.5	0.3005	0.0836
Corvidae	<i>Dendrocitta formosae</i>	Grey Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Cissa hypoleuca</i>	Indochinese Green Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Temnurus temnurus</i>	Ratchet-tailed Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Urocissa erythroryncha</i>	Red-billed Blue Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Columbidae	<i>Treron fulvicollis</i>	Cinnamon-headed Green-pigeon	2	0.4	2	0.4	1	0.2	3	0.5	0.2820	0.0561
Corvidae	<i>Cissa chinensis</i>	Common Green Magpie	1	0.2	3	0.6	1	0.2	4	0.6667	0.2726	0.0422
Corvidae	<i>Dendrocitta vagabunda</i>	Rufous Treepie	1	0.2	3	0.6	1	0.2	4	0.6667	0.2726	0.0422
Bucerotidae	<i>Rhyticeros subruficollis</i>	Plain-pouched Hornbill	3	0.6	5	1	2	0.4	2	0.3333	0.2694	0.0374
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Anthracoceros malayanus</i>	Black Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Rhyticeros undulatus</i>	Wreathed Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Aceros nipalensis</i>	Rufous-necked Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Buceros rhinoceros</i>	Rhinoceros Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Laridae	<i>Sterna aurantia</i>	River Tern	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Picidae	<i>Mulleripicus pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Strigidae	<i>Otus sunia</i>	Oriental Scops-owl	1	0.2	1	0.2	1	0.2	5	0.8333	0.2640	0.0293
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	3	0.5	0.2599	0.0232
Strigidae	<i>Otus sagittatus</i>	White-fronted Scops-owl	3	0.6	2	0.4	3	0.6	2	0.3333	0.2582	0.0207
Ardeidae	<i>Egretta eulophotes</i>	Chinese Egret	3	0.6	3	0.6	1	0.2	2	0.3333	0.2510	0.0100

VIETNAM

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	3	0.6	5	1	1	0.2	6	1	0.7928	0.8145
Accipitridae	<i>Clanga clanga</i>	Greater Spotted Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Accipitridae	<i>Aquila heliaca</i>	Eastern Imperial Eagle	3	0.6	5	1	1	0.2	5	0.8333	0.6607	0.6183
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163
Ciconiidae	<i>Ciconia episcopus</i>	Asian Woollyneck	2	0.4	5	1	1	0.2	6	1	0.6594	0.6163

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Accipitridae	<i>Lophotriorchis kienerii</i>	Rufous-bellied Eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Aegypius monachus</i>	Cinereous Vulture	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser Fish-eagle	2	0.4	5	1	1	0.2	5	0.8333	0.5495	0.4532
Corvidae	<i>Corvus pectoralis</i>	Collared Crow	3	0.6	5	1	1	0.2	4	0.6667	0.5285	0.4221
Falconidae	<i>Polihierax insignis</i>	White-rumped Pygmy-falcon	2	0.4	4	0.8	1	0.2	5	0.8333	0.5270	0.4199
Ciconiidae	<i>Anastomus oscitans</i>	Asian Openbill	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	1	0.2	5	1	1	0.2	6	1	0.4812	0.3518
Corvidae	<i>Urocissa xanthomelana</i>	White-winged Magpie	2	0.4	2	0.4	3	0.6	4	0.6667	0.4216	0.2634
Accipitridae	<i>Spilornis cheela</i>	Crested Serpent-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Pernis ptilorhynchus</i>	Oriental Honey-buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied Sea-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Haliastur indus</i>	Brahminy Kite	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Nisaetus cirrhatus</i>	Changeable Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aquila fasciata</i>	Bonelli's Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Ictinaetus malaiensis</i>	Black Eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Aviceda jerdoni</i>	Jerdon's Baza	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Buteo japonicus</i>	Japanese Buzzard	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Accipitridae	<i>Nisaetus nipalensis</i>	Mountain Hawk-eagle	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Falconidae	<i>Falco peregrinus</i>	Peregrine Falcon	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Pandionidae	<i>Pandion haliaetus</i>	Osprey	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa ketupu</i>	Buffy Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Strix seloputo</i>	Spotted Wood-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Strix niviculum</i>	Himalayan Owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa zeylonensis</i>	Brown Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Strigidae	<i>Ketupa flavipes</i>	Tawny Fish-owl	1	0.2	5	1	1	0.2	5	0.8333	0.4010	0.2327
Columbidae	<i>Columba punicea</i>	Pale-capped Pigeon	3	0.6	4	0.8	1	0.2	3	0.5	0.3873	0.2124
Accipitridae	<i>Circus cyaneus</i>	Hen Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Butastur indicus</i>	Grey-faced Buzzard	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Accipitridae	<i>Milvus migrans</i>	Black Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Accipiter gentilis</i>	Northern Goshawk	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Aviceda leuphotes</i>	Black Baza	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Elanus caeruleus</i>	Black-winged Kite	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus spilonotus</i>	Eastern Marsh-harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Butastur liventer</i>	Rufous-winged Buzzard	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Circus melanoleucos</i>	Pied Harrier	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Accipitridae	<i>Accipiter trivirgatus</i>	Crested Goshawk	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Falconidae	<i>Falco subbuteo</i>	Eurasian Hobby	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Glaucidium cuculoides</i>	Asian Barred Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Ninox scutulata</i>	Brown Boobook	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Strigidae	<i>Athene brama</i>	Spotted Owlet	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Tytonidae	<i>Phodilus badius</i>	Oriental Bay-owl	1	0.2	4	0.8	1	0.2	5	0.8333	0.3727	0.1907
Corvidae	<i>Temnurus temnurus</i>	Ratchet-tailed Treepie	1	0.2	4	0.8	4	0.8	4	0.6667	0.3590	0.1704
Accipitridae	<i>Accipiter soloensis</i>	Chinese Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter nisus</i>	Eurasian Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter badius</i>	Shikra	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter gularis</i>	Japanese Sparrowhawk	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Accipitridae	<i>Accipiter virgatus</i>	Besra	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco columbarius</i>	Merlin	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco amurensis</i>	Amur Falcon	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Microhierax caerulescens</i>	Collared Falconet	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Falco severus</i>	Oriental Hobby	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Falconidae	<i>Microhierax melanoleucos</i>	Pied Falconet	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Tytonidae	<i>Tyto alba</i>	Common Barn-owl	1	0.2	3	0.6	1	0.2	5	0.8333	0.3408	0.1434
Scolopacidae	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	5	1	3	0.6	2	0.4	2	0.3333	0.3333	0.1323
Corvidae	<i>Cissa hypoleuca</i>	Indochinese Green Magpie	1	0.2	4	0.8	2	0.4	4	0.6667	0.3208	0.1136
Corvidae	<i>Corvus macrorhynchos</i>	Large-billed Crow	1	0.2	5	1	1	0.2	4	0.6667	0.3208	0.1136
Psittacidae	<i>Himalayapsitta roseata</i>	Blossom-headed Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Psittacidae	<i>Palaeornis eupatria</i>	Alexandrine Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted Parakeet	2	0.4	4	0.8	1	0.2	3	0.5	0.3162	0.1069
Falconidae	<i>Falco tinnunculus</i>	Common Kestrel	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Otus lettia</i>	Collared Scops-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Asio flammeus</i>	Short-eared Owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Strigidae	<i>Glaucidium brodiei</i>	Collared Owlet	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Tytonidae	<i>Tyto longimembris</i>	Eastern Grass-owl	1	0.2	2	0.4	1	0.2	5	0.8333	0.3048	0.0899
Scolopacidae	<i>Numenius madagascariensis</i>	Far Eastern Curlew	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Threskiornithidae	<i>Platalea minor</i>	Black-faced Spoonbill	4	0.8	5	1	1	0.2	2	0.3333	0.3012	0.0845
Psittacidae	<i>Himalayapsitta finschii</i>	Grey-headed Parakeet	2	0.4	3	0.6	1	0.2	3	0.5	0.3005	0.0836
Corvidae	<i>Urocissa flavirostris</i>	Yellow-billed Blue Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Dendrocitta frontalis</i>	Collared Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Dendrocitta formosae</i>	Grey Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Cypselurus temia</i>	Racquet-tailed Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Dendrocitta vagabunda</i>	Rufous Treepie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Urocissa erythroryncha</i>	Red-billed Blue Magpie	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Garrulus leucotis</i>	White-faced Jay	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Corvus frugilegus</i>	Rook	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Corvidae	<i>Corvus corone</i>	Carrion Crow	1	0.2	4	0.8	1	0.2	4	0.6667	0.2981	0.0800
Ardeidae	<i>Oroanassa magnifica</i>	White-eared Night-heron	4	0.8	4	0.8	1	0.2	2	0.3333	0.2981	0.0800
Corvidae	<i>Pica pica</i>	Eurasian Magpie	1	0.2	3	0.6	1	0.2	4	0.6667	0.2726	0.0422
Corvidae	<i>Cissa chinensis</i>	Common Green Magpie	1	0.2	3	0.6	1	0.2	4	0.6667	0.2726	0.0422
Bucerotidae	<i>Rhyticeros undulatus</i>	Wreathed Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Aceros nipalensis</i>	Rufous-necked Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Bucerotidae	<i>Buceros bicornis</i>	Great Hornbill	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Picidae	<i>Mulleripicus pulverulentus</i>	Great Slaty Woodpecker	3	0.6	5	1	1	0.2	2	0.3333	0.2643	0.0297
Strigidae	<i>Otus sunia</i>	Oriental Scops-owl	1	0.2	1	0.2	1	0.2	5	0.8333	0.2640	0.0293
Columbidae	<i>Treron phayrei</i>	Ashy-headed Green-pigeon	2	0.4	1	0.2	1	0.2	3	0.5	0.2599	0.0232

Family	Scientific name	Common name	CnS	CnS (s)	Su	Su (s)	En	En (s)	PwEc	PwEc (s)	PwEc SI	PwEc SI (norm)
Ardeidae	<i>Egretta eulophotes</i>	Chinese Egret	3	0.6	3	0.6	1	0.2	2	0.3333	0.2510	0.0100
Scolopacidae	<i>Gallinago nemoricola</i>	Wood Snipe	3	0.6	3	0.6	1	0.2	2	0.3333	0.2510	0.0100

Table S4. Displacement and collision scores and sources of information. Collision parameters: percentage of time flying at blade height (A1), percentage of time spent flying (A2), nocturnal flight activity (A3), flight manoeuvrability (A4). Displacement parameters: disturbance by vessels & helicopters (B1), disturbance by structures (B2), and habitat flexibility (B3). When the main source did not include information for a parameter, alternative sources were used. References for these other sources can be found in the table and in brackets the specific parameter that was affected.

COLLISION

Scientific name	Common name	A1	A2	A3	A4	Main source	Other sources
<i>Anous stolidus</i>	Brown Noddy	3	5	5	1	Robinson Willmott et al., 2013	Similar group: <i>Sterna sp</i> and <i>Thalasseus sp</i> (A4).
<i>Anous tenuirostris</i>	Lesser Noddy	3	5	5	1		Similar spp: <i>Anous stolidus</i>
<i>Ardenna carneipes</i>	Flesh-footed Shearwater	1	4	3	3	Kelsey et al., 2018	Similar group: shearwaters and petrels (A4)
<i>Ardenna pacifica</i>	Wedge-tailed Shearwater	1	3	3	3	Kelsey et al., 2018	Similar spp: <i>Ardenna bulleri</i> . Similar group: shearwaters and petrels (A4)
<i>Bulweria bulwerii</i>	Bulwer's Petrel	1	4	5	3		Similar group: <i>Pterodroma sp</i> ; Dias et al., 2015 (A2 and A3)
<i>Bulweria fallax</i>	Jouanin's Petrel	1	4	5	3		Similar group: <i>Pterodroma sp</i> ; Dias et al., 2015 (A2 and A3)
<i>Calonectris leucomelas</i>	Streaked Shearwater	1	3	3	3	Bradbury et al., 2014	Similar spp: <i>Calonectris diomedea</i>
<i>Fregata andrewsi</i>	Christmas Frigatebird	5	5	4	1		Similar spp: <i>Fregata minor</i> and Hennen et al., 2015
<i>Fregata ariel</i>	Lesser Frigatebird	5	5	4	1		Similar spp: <i>Fregata minor</i> and Mott et al., 2021
<i>Fregata minor</i>	Great Frigatebird	5	5	4	1		Weimerskirch et al., 2004, 2010, 2016, 2017, De Monte et al. 2012 and Rattenborg et al. 2016
<i>Fregetta tropica</i>	Black-bellied Storm-petrel	1	4	4	1		Similar spp: <i>Oceanites oceanicus</i>
<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	5	5	5	1	Robinson Willmott et al., 2013	Similar group: <i>Sterna sp</i> and <i>Thalasseus sp</i> (A4).
<i>Hydrobates monorhis</i>	Swinhoe's Storm-petrel	1	4	4	1		Similar spp: <i>Oceanites oceanicus</i>
<i>Hydroprogne caspia</i>	Caspian Tern	5	5	5	1	Robinson Willmott et al., 2013	Similar group: <i>Sterna sp</i> and <i>Thalasseus sp</i> (A4).
<i>Larus brunnicephalus</i>	Brown-headed Gull	3	1	2	1		Similar spp: <i>Larus ridibundus</i>
<i>Larus canus</i>	Mew Gull	5	2	3	1	Critchley et al., 2019	
<i>Larus fuscus</i>	Lesser Black-backed Gull	5	2	3	1	Critchley et al., 2019	

Scientific name	Common name	A1	A2	A3	A4	Main source	Other sources
<i>Larus genei</i>	Slender-billed Gull	3	1	2	1		Similar spp: <i>Larus ridibundus</i> ; Veen et al., 2019 and Cama et al., 2012 (A2 and A3)
<i>Larus ichthyaetus</i>	Pallas's Gull	5	2	3	1		Similar spp: <i>Larus fuscus</i> ; Heiss et al., 2016 and Liu et al., 2018 (A1)
<i>Larus ridibundus</i>	Black-headed Gull	3	1	2	1	Critchley et al., 2019	
<i>Larus smithsonianus</i>	Arctic Herring Gull	5	2	3	2	Critchley et al., 2019	Similar spp: <i>Larus argentatus</i>
<i>Oceanites oceanicus</i>	Wilson's Storm-petrel	1	4	4	1	Kelsey et al., 2018	Bradbury et al., 2014 (A4)
<i>Onychoprion anaethetus</i>	Bridled Tern	3	5	5	1	Robinson Willmott et al., 2013	Similar group: <i>Sterna sp</i> and <i>Thalasseus sp</i> (A4).
<i>Onychoprion fuscatus</i>	Sooty Tern	3	5	5	1	Robinson Willmott et al., 2013	Similar group: <i>Sterna sp</i> and <i>Thalasseus sp</i> (A4).
<i>Pelagodroma marina</i>	White-faced Storm-petrel	1	4	4	1		Similar spp: <i>Oceanites oceanicus</i>
<i>Pelecanus onocrotalus</i>	Great White Pelican	5	2	1	5	Robinson Willmott et al., 2013	Similar spp: <i>Pelecanus occidentalis</i> . Jenkins et al., 2018
<i>Phaethon aethereus</i>	Red-billed Tropicbird	3	4	2	1	Robinson Willmott et al., 2013	Expert opinion (A4)
<i>Phaethon lepturus</i>	White-tailed Tropicbird	3	3	2	1	Robinson Willmott et al., 2013	Expert opinion (A4)
<i>Phaethon rubricauda</i>	Red-tailed Tropicbird	4	4	2	1		Similar spp: <i>Phaethon aethereus</i> . Adams et al., 2020 (A1)
<i>Phalacrocorax carbo</i>	Great Cormorant	1	2	1	4	Critchley et al., 2019	
<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	1	2	1	4		Similar spp: <i>Phalacrocorax carbo</i>
<i>Podiceps cristatus</i>	Great Crested Grebe	1	3	2	4	Critchley et al., 2019	
<i>Podiceps nigricollis</i>	Black-necked Grebe	1	3	2	4		Similar spp: <i>Podiceps cristatus</i>
<i>Pterodroma arminjoniana</i>	Trindade Petrel	1	5	5	3	Kelsey et al., 2018	Similar spp: <i>Pterodroma ultima</i>
<i>Puffinus bailloni</i>	Tropical Shearwater	1	3	3	3	Critchley et al., 2019	Similar spp: <i>Puffinus puffinus</i>
<i>Puffinus persicus</i>	Persian Shearwater	1	3	3	3	Critchley et al., 2019	Similar spp: <i>Puffinus puffinus</i>
<i>Saundersilarus saundersi</i>	Saunders's Gull	3	1	2	1		Similar spp: <i>Larus ridibundus</i>
<i>Stercorarius pomarinus</i>	Pomarine Jaeger	3	4	3	2	Certain et al., 2015	
<i>Sterna dougallii</i>	Roseate Tern	2	5	1	1	Critchley et al., 2019	
<i>Sterna hirundo</i>	Common Tern	2	5	1	1	Critchley et al., 2019	
<i>Sterna repressa</i>	White-cheeked Tern	2	5	1	1		Similar spp: <i>Sterna hirundo</i>
<i>Sterna sumatrana</i>	Black-naped Tern	2	5	1	1		Similar spp: <i>Sterna hirundo</i>
<i>Sternula albifrons</i>	Little Tern	1	5	1	1	Critchley et al., 2019	
<i>Sternula saundersi</i>	Saunders's Tern	1	5	1	1		Similar spp: <i>Sternula albifrons</i>
<i>Sula dactylatra</i>	Masked Booby	3	4	1	3		Similar spp: <i>Sula leucogaster</i> ; Weimerskirch et al., 2008 and Sommerfeld et al., 2013 (A2 and A3)

Scientific name	Common name	A1	A2	A3	A4	Main source	Other sources
<i>Sula leucogaster</i>	Brown Booby	2	3	2	3	Robinson Willmott et al., 2013	Expert opinion (A4); Adams et al. 2020 (A1)
<i>Sula sula</i>	Red-footed Booby	2	3	2	3		Similar spp: <i>Sula leucogaster</i> ; Lewis et al., 2005, Mendez et al., 2017 and Weimerskirch et al., 2005 (A2 and A3)
<i>Thalasseus bengalensis</i>	Lesser Crested Tern	2	5	1	1		Similar spp: <i>Thalasseus sandvicensis</i>
<i>Thalasseus bergii</i>	Greater Crested Tern	2	5	1	1		Similar spp: <i>Thalasseus sandvicensis</i>
<i>Thalasseus bernsteini</i>	Chinese Crested Tern	2	5	1	1		Similar spp: <i>Thalasseus sandvicensis</i>
<i>Thalasseus sandvicensis</i>	Sandwich Tern	2	5	1	1	Critchley et al., 2019	

DISPLACEMENT

Scientific name	Common name	B1	B2	B3	Main source	Other sources
<i>Anous stolidus</i>	Brown Noddy	2	2	2	Robinson Willmott et al., 2013	Similar group: <i>Thalasseus sp</i> and <i>Sterna sp</i> (B2)
<i>Anous tenuirostris</i>	Lesser Noddy	2	2	2		Similar spp: <i>Anous stolidus</i>
<i>Ardenna carneipes</i>	Flesh-footed Shearwater	1	1	1	Wade et al., 2016	Similar spp: <i>Ardenna grisea</i>
<i>Ardenna pacifica</i>	Wedge-tailed Shearwater	1	1	1	Wade et al., 2016	Similar spp: <i>Ardenna grisea</i>
<i>Bulweria bulwerii</i>	Bulwer's Petrel	1	1	1		Similar group: shearwaters and petrels
<i>Bulweria fallax</i>	Jouanin's Petrel	1	1	1		Similar group: shearwaters and petrels
<i>Calonectris leucomelas</i>	Streaked Shearwater	1	1	1	Bradbury et al., 2014	Similar spp: <i>Calonectris diomedea</i>
<i>Fregata andrewsi</i>	Christmas Frigatebird	1	1	3		Expert opinion (B1 and B2); Orta et al., 2020 and Henniscke et al., 2015 (B3)
<i>Fregata ariel</i>	Lesser Frigatebird	1	1	3		Expert opinion (B1 and B2); Mott et al., 2021 and Orta et al., 2020 (B3)
<i>Fregata minor</i>	Great Frigatebird	1	1	3		Expert opinion (B1 and B2); Gauguer Metz et al., 2020, Calixto-Albarran et al., 2000, Weimerskirch et al., 2004, 2010 (B3)
<i>Fregetta tropica</i>	Black-bellied Storm-petrel	1	1	1		Similar spp: <i>Oceanites oceanicus</i>
<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	1	2	2		Similar group: <i>Thalasseus sp</i>
<i>Hydrobates monorhis</i>	Swinhoe's Storm-petrel	1	1	1		Similar spp: <i>Oceanites oceanicus</i>
<i>Hydroprogne caspia</i>	Caspian Tern	1	2	3		Similar group: <i>Thalasseus sp</i>
<i>Larus brunnicephalus</i>	Brown-headed Gull	1	2	2		Similar spp: <i>Larus ridibundus</i>
<i>Larus canus</i>	Mew Gull	1	2	2	Critchley et al., 2019	
<i>Larus fuscus</i>	Lesser Black-backed Gull	1	2	1	Critchley et al., 2019	
<i>Larus genei</i>	Slender-billed Gull	1	2	2		Similar spp: <i>Larus ridibundus</i>

Scientific name	Common name	B1	B2	B3	Main source	Other sources
<i>Larus ichthyaetus</i>	Pallas's Gull	1	2	1		Similar spp: <i>Larus fuscus</i>
<i>Larus ridibundus</i>	Black-headed Gull	1	2	2	Critchley et al., 2019	
<i>Larus smithsonianus</i>	Arctic Herring Gull	1	2	1	Critchley et al., 2019	Similar spp: <i>Larus argentatus</i>
<i>Oceanites oceanicus</i>	Wilson's Storm-petrel	1	1	1	Bradbury et al., 2014	
<i>Onychoprion anaethetus</i>	Bridled Tern	1	2	3	Robinson Willmott et al., 2013	Similar group: <i>Thalasseuss sp</i> and <i>Sterna sp</i> (B2)
<i>Onychoprion fuscatus</i>	Sooty Tern	2	2	2	Robinson Willmott et al., 2013	Similar group: <i>Thalasseuss sp</i> and <i>Sterna sp</i> (B2)
<i>Pelagodroma marina</i>	White-faced Storm-petrel	1	1	1		Similar spp: <i>Oceanites oceanicus</i>
<i>Pelecanus onocrotalus</i>	Great White Pelican	3	2	1	Robinson Willmott et al., 2013	Similar spp: <i>Pelecanus occidentalis</i> ; expert opinion (B2)
<i>Phaethon aethereus</i>	Red-billed Tropicbird	1	2	1	Robinson Willmott et al., 2013	Adams et al., 2020 (B2)
<i>Phaethon lepturus</i>	White-tailed Tropicbird	1	2	1	Robinson Willmott et al., 2013	Adams et al., 2020 (B2)
<i>Phaethon rubricauda</i>	Red-tailed Tropicbird	1	2	1		Similar spp: <i>Phaethon aethereus</i>
<i>Phalacrocorax carbo</i>	Great Cormorant	2	1	3	Critchley et al., 2019	
<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	2	1	3		Similar spp: <i>Phalacrocorax carbo</i>
<i>Podiceps cristatus</i>	Great Crested Grebe	3	4	4	Critchley et al., 2019	Dierschke et al., 2016 (B2)
<i>Podiceps nigricollis</i>	Black-necked Grebe	3	4	4		Similar spp: <i>Podiceps cristatus</i>
<i>Pterodroma arminjoniana</i>	Trindade Petrel	1	1	1		Similar group: shearwaters and petrels
<i>Puffinus bailloni</i>	Tropical Shearwater	1	1	1	Critchley et al., 2019	Similar spp: <i>Puffinus puffinus</i>
<i>Puffinus persicus</i>	Persian Shearwater	1	1	1	Critchley et al., 2019	Similar spp: <i>Puffinus puffinus</i>
<i>Saundersilarus saundersi</i>	Saunders's Gull	1	2	2		Similar spp: <i>Larus ridibundus</i>
<i>Stercorarius pomarinus</i>	Pomarine Jaeger	2	2	3	Certain et al., 2015	
<i>Sterna dougallii</i>	Roseate Tern	2	2	3	Critchley et al., 2019	
<i>Sterna hirundo</i>	Common Tern	1	2	3	Critchley et al., 2019	
<i>Sterna repressa</i>	White-cheeked Tern	1	2	3		Similar spp: <i>Sterna hirundo</i>
<i>Sterna sumatrana</i>	Black-naped Tern	1	2	3		Similar spp: <i>Sterna hirundo</i>
<i>Sternula albifrons</i>	Little Tern	2	2	4	Critchley et al., 2019	
<i>Sternula saundersi</i>	Saunders's Tern	2	2	4		Similar spp: <i>Sternula albifrons</i>
<i>Sula dactylatra</i>	Masked Booby	2	4	2		Similar spp: <i>Sula leucogaster</i> ; Grace et al., 2020 and Soanes et al., 2021 (B3)
<i>Sula leucogaster</i>	Brown Booby	2	4	1	Robinson Willmott et al., 2013	Similar spp: <i>Morus bassanus</i> in Critchley et al., 2019 (B2)

Scientific name	Common name	B1	B2	B3	Main source	Other sources
<i>Sula sula</i>	Red-footed Booby	2	4	1		Similar spp: <i>Sula leucogaster</i> ; Schreiber et al., 2020 and Soanes et al., 2021 (B3)
<i>Thalasseus bengalensis</i>	Lesser Crested Tern	1	2	3		Similar spp: <i>Thalasseus sandvicensis</i>
<i>Thalasseus bergii</i>	Greater Crested Tern	1	2	3		Similar spp: <i>Thalasseus sandvicensis</i>
<i>Thalasseus bernsteini</i>	Chinese Crested Tern	1	2	3		Similar spp: <i>Thalasseus sandvicensis</i>
<i>Thalasseus sandvicensis</i>	Sandwich Tern	1	2	3	Critchley et al., 2019	

Table S5. List of species included in the offshore wind collision sensitivity analysis. Parameters included in the calculation of the sensitivity indexes and the scaled values after dividing by the maximum category value (s). Conservation status (CnS), annual adult survival (Su), percentage of time flying at blade height (A1), percentage of time spent flying (A2), nocturnal flight activity (A3), flight manoeuvrability (A4), and offshore wind collision sensitivity index (OW Co SI). Country refers to the presence of the species within the EEZ of that country: India (IN), Thailand (TH), and Vietnam (VT).

Scientific name	Common name	Country	CnS	CnS (s)	Su (s)	A1	A1 (s)	A2	A2 (s)	A3	A3 (s)	A4	A4 (s)	OW Co SI
<i>Anous stolidus</i>	Brown Noddy	IN, TH, VT	1	0.2	0.6	3	0.6	5	1	5	1	1	0.2	0.2887
<i>Anous tenuirostris</i>	Lesser Noddy	IN	1	0.2	0.6	3	0.6	5	1	5	1	1	0.2	0.2887
<i>Ardenna carneipes</i>	Flesh-footed Shearwater	IN	2	0.4	1	1	0.2	4	0.8	3	0.6	3	0.6	0.1331
<i>Ardenna pacifica</i>	Wedge-tailed Shearwater	IN, TH	1	0.2	0.8	1	0.2	3	0.6	3	0.6	3	0.6	0.0854
<i>Bulweria bulwerii</i>	Bulwer's Petrel	TH, VT	1	0.2	0.8	1	0.2	4	0.8	5	1	3	0.6	0.0988
<i>Bulweria fallax</i>	Jouanin's Petrel	IN	2	0.4	1	1	0.2	4	0.8	5	1	3	0.6	0.1352
<i>Calonectris leucomelas</i>	Streaked Shearwater	VT	2	0.4	1	1	0.2	3	0.6	3	0.6	3	0.6	0.1168
<i>Fregata andrewsi</i>	Christmas Frigatebird	TH, VT	5	1	0.8	5	1	5	1	4	0.8	1	0.2	1.0000
<i>Fregata ariel</i>	Lesser Frigatebird	IN, TH, VT	1	0.2	0.8	5	1	5	1	4	0.8	1	0.2	0.5385
<i>Fregata minor</i>	Great Frigatebird	TH, VT	1	0.2	0.8	5	1	5	1	4	0.8	1	0.2	0.5385
<i>Fregetta tropica</i>	Black-bellied Storm-petrel	IN	1	0.2	0.4	1	0.2	4	0.8	4	0.8	1	0.2	0.0732
<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	IN, TH, VT	1	0.2	0.4	5	1	5	1	5	1	1	0.2	0.4090
<i>Hydrobates monorhis</i>	Swinhoe's Storm-petrel	IN, TH, VT	2	0.4	0.6	1	0.2	4	0.8	4	0.8	1	0.2	0.1179
<i>Hydroprogne caspia</i>	Caspian Tern	IN, VT	1	0.2	0.8	5	1	5	1	5	1	1	0.2	0.5385
<i>Larus brunnicephalus</i>	Brown-headed Gull	IN, TH, VT	1	0.2	0.6	3	0.6	1	0.2	2	0.4	1	0.2	0.1056

Scientific name	Common name	Country	CnS	CnS (s)	Su (s)	A1	A1 (s)	A2	A2 (s)	A3	A3 (s)	A4	A4 (s)	OW Co SI
<i>Larus canus</i>	Mew Gull	VT	1	0.2	0.6	5	1	2	0.4	3	0.6	1	0.2	0.2892
<i>Larus fuscus</i>	Lesser Black-backed Gull	IN, TH, VT	1	0.2	0.8	5	1	2	0.4	3	0.6	1	0.2	0.3237
<i>Larus genei</i>	Slender-billed Gull	IN	1	0.2	0.6	3	0.6	1	0.2	2	0.4	1	0.2	0.1056
<i>Larus ichthyaetus</i>	Pallas's Gull	IN	1	0.2	0.8	5	1	2	0.4	3	0.6	1	0.2	0.3237
<i>Larus ridibundus</i>	Black-headed Gull	IN, TH, VT	1	0.2	0.8	3	0.6	1	0.2	2	0.4	1	0.2	0.1182
<i>Larus smithsonianus</i>	Arctic Herring Gull	VT	1	0.2	0.8	5	1	2	0.4	3	0.6	2	0.4	0.3406
<i>Oceanites oceanicus</i>	Wilson's Storm-petrel	IN	1	0.2	0.6	1	0.2	4	0.8	4	0.8	1	0.2	0.0861
<i>Onychoprion anaethetus</i>	Bridled Tern	IN, TH, VT	1	0.2	0.6	3	0.6	5	1	5	1	1	0.2	0.2887
<i>Onychoprion fuscatus</i>	Sooty Tern	IN, TH, VT	1	0.2	0.6	3	0.6	5	1	5	1	1	0.2	0.2887
<i>Pelagodroma marina</i>	White-faced Storm-petrel	IN	1	0.2	0.4	1	0.2	4	0.8	4	0.8	1	0.2	0.0732
<i>Pelecanus onocrotalus</i>	Great White Pelican	IN	1	0.2	0.8	5	1	2	0.4	1	0.2	5	1	0.3550
<i>Phaethon aethereus</i>	Red-billed Tropicbird	IN	1	0.2	0.8	3	0.6	4	0.8	2	0.4	1	0.2	0.2810
<i>Phaethon lepturus</i>	White-tailed Tropicbird	IN	1	0.2	0.6	3	0.6	3	0.6	2	0.4	1	0.2	0.2098
<i>Phaethon rubricauda</i>	Red-tailed Tropicbird	IN	1	0.2	0.8	4	0.8	4	0.8	2	0.4	1	0.2	0.3747
<i>Phalacrocorax carbo</i>	Great Cormorant	IN, TH, VT	1	0.2	0.6	1	0.2	2	0.4	1	0.2	4	0.8	0.0609
<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	IN, TH, VT	1	0.2	0.2	1	0.2	2	0.4	1	0.2	4	0.8	0.0401
<i>Podiceps cristatus</i>	Great Crested Grebe	IN	1	0.2	0.4	1	0.2	3	0.6	2	0.4	4	0.8	0.0648
<i>Podiceps nigricollis</i>	Black-necked Grebe	IN	1	0.2	0.4	1	0.2	3	0.6	2	0.4	4	0.8	0.0648
<i>Pterodroma arminjoniana</i>	Trindade Petrel	IN	3	0.6	0.8	1	0.2	5	1	5	1	3	0.6	0.1643
<i>Puffinus bailloni</i>	Tropical Shearwater	IN	1	0.2	1	1	0.2	3	0.6	3	0.6	3	0.6	0.0927
<i>Puffinus persicus</i>	Persian Shearwater	IN	1	0.2	1	1	0.2	3	0.6	3	0.6	3	0.6	0.0927
<i>Saundersilarus saundersi</i>	Saunders's Gull	VT	3	0.6	0.4	3	0.6	1	0.2	2	0.4	1	0.2	0.1652
<i>Stercorarius pomarinus</i>	Pomarine Jaeger	IN, TH, VT	1	0.2	0.8	3	0.6	4	0.8	3	0.6	2	0.4	0.2890
<i>Sterna dougallii</i>	Roseate Tern	IN, TH, VT	1	0.2	0.6	2	0.4	5	1	1	0.2	1	0.2	0.1925
<i>Sterna hirundo</i>	Common Tern	IN, TH, VT	1	0.2	0.6	2	0.4	5	1	1	0.2	1	0.2	0.1925
<i>Sterna repressa</i>	White-cheeked Tern	IN	1	0.2	0.6	2	0.4	5	1	1	0.2	1	0.2	0.1925
<i>Sterna sumatrana</i>	Black-naped Tern	IN, TH, VT	1	0.2	0.6	2	0.4	5	1	1	0.2	1	0.2	0.1925
<i>Sternula albifrons</i>	Little Tern	IN, TH, VT	1	0.2	0.6	1	0.2	5	1	1	0.2	1	0.2	0.0962
<i>Sternula saundersi</i>	Saunders's Tern	IN	1	0.2	0.8	1	0.2	5	1	1	0.2	1	0.2	0.1077

Scientific name	Common name	Country	CnS	CnS (s)	Su (s)	A1	A1 (s)	A2	A2 (s)	A3	A3 (s)	A4	A4 (s)	OW Co SI
<i>Sula dactylatra</i>	Masked Booby	IN, VT	1	0.2	0.8	3	0.6	4	0.8	1	0.2	3	0.6	0.2854
<i>Sula leucogaster</i>	Brown Booby	IN, TH, VT	1	0.2	0.8	2	0.4	3	0.6	2	0.4	3	0.6	0.1668
<i>Sula sula</i>	Red-footed Booby	IN, VT	1	0.2	0.8	2	0.4	3	0.6	2	0.4	3	0.6	0.1668
<i>Thalasseus bengalensis</i>	Lesser Crested Tern	IN, TH, VT	1	0.2	1	2	0.4	5	1	1	0.2	1	0.2	0.2339
<i>Thalasseus bergii</i>	Greater Crested Tern	IN, TH, VT	1	0.2	0.8	2	0.4	5	1	1	0.2	1	0.2	0.2154
<i>Thalasseus bernsteini</i>	Chinese Crested Tern	TH	5	1	0.8	2	0.4	5	1	1	0.2	1	0.2	0.4000
<i>Thalasseus sandvicensis</i>	Sandwich Tern	IN	1	0.2	0.8	2	0.4	5	1	1	0.2	1	0.2	0.2154

Table S6. List of species included in the offshore wind displacement sensitivity analysis. Parameters included in the calculation of the sensitivity indexes and the scaled values after dividing by the maximum category value (s). Conservation status (CnS), annual adult survival (Su disturbance by vessels & helicopters (B1), disturbance by structures (B2), and habitat flexibility (B3), and offshore wind displacement sensitivity index (OW Dis SI). Country refers to the presence of the species within the EEZ of that country: India (IN), Thailand (TH), and Vietnam (VT).

Scientific name	Common name	Country	CnS	CnS (s)	Su (s)	B1	B1 (s)	B2	B2 (s)	B3	B3 (s)	OW Dis SI
<i>Anous stolidus</i>	Brown Noddy	IN, TH, VT	1	0.2	0.6	2	0.4	2	0.4	2	0.4	0.2892
<i>Anous tenuirostris</i>	Lesser Noddy	IN	1	0.2	0.6	2	0.4	2	0.4	2	0.4	0.2892
<i>Ardenna carneipes</i>	Flesh-footed Shearwater	IN	2	0.4	1	1	0.2	1	0.2	1	0.2	0.2334
<i>Ardenna pacifica</i>	Wedge-tailed Shearwater	IN, TH	1	0.2	0.8	1	0.2	1	0.2	1	0.2	0.1706
<i>Bulweria bulwerii</i>	Bulwer's Petrel	TH, VT	1	0.2	0.8	1	0.2	1	0.2	1	0.2	0.1706
<i>Bulweria fallax</i>	Jouanin's Petrel	IN	2	0.4	1	1	0.2	1	0.2	1	0.2	0.2334
<i>Calonectris leucomelas</i>	Streaked Shearwater	VT	2	0.4	1	1	0.2	1	0.2	1	0.2	0.2334
<i>Fregata andrewsi</i>	Christmas Frigatebird	TH, VT	5	1	0.8	1	0.2	1	0.2	3	0.6	0.4812
<i>Fregata ariel</i>	Lesser Frigatebird	IN, TH, VT	1	0.2	0.8	1	0.2	1	0.2	3	0.6	0.2591
<i>Fregata minor</i>	Great Frigatebird	TH, VT	1	0.2	0.8	1	0.2	1	0.2	3	0.6	0.2591
<i>Fregetta tropica</i>	Black-bellied Storm-petrel	IN	1	0.2	0.4	1	0.2	1	0.2	1	0.2	0.1295
<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	IN, TH, VT	1	0.2	0.4	1	0.2	2	0.4	2	0.4	0.2095
<i>Hydrobates monorhis</i>	Swinhoe's Storm-petrel	IN, TH, VT	2	0.4	0.6	1	0.2	1	0.2	1	0.2	0.2089

Scientific name	Common name	Country	CnS	CnS (s)	Su (s)	B1	B1 (s)	B2	B2 (s)	B3	B3 (s)	OW Dis SI
<i>Hydroprogne caspia</i>	Caspian Tern	IN, VT	1	0.2	0.8	1	0.2	2	0.4	3	0.6	0.3115
<i>Larus brunicephalus</i>	Brown-headed Gull	IN, TH, VT	1	0.2	0.6	1	0.2	2	0.4	2	0.4	0.2465
<i>Larus canus</i>	Mew Gull	VT	1	0.2	0.6	1	0.2	2	0.4	2	0.4	0.2465
<i>Larus fuscus</i>	Lesser Black-backed Gull	IN, TH, VT	1	0.2	0.8	1	0.2	2	0.4	1	0.2	0.2279
<i>Larus genei</i>	Slender-billed Gull	IN	1	0.2	0.6	1	0.2	2	0.4	2	0.4	0.2465
<i>Larus ichthyaetus</i>	Pallas's Gull	IN	1	0.2	0.8	1	0.2	2	0.4	1	0.2	0.2279
<i>Larus ridibundus</i>	Black-headed Gull	IN, TH, VT	1	0.2	0.8	1	0.2	2	0.4	2	0.4	0.2759
<i>Larus smithsonianus</i>	Arctic Herring Gull	VT	1	0.2	0.8	1	0.2	2	0.4	1	0.2	0.2279
<i>Oceanites oceanicus</i>	Wilson's Storm-petrel	IN	1	0.2	0.6	1	0.2	1	0.2	1	0.2	0.1524
<i>Onychoprion anaethetus</i>	Bridled Tern	IN, TH, VT	1	0.2	0.6	1	0.2	2	0.4	3	0.6	0.2784
<i>Onychoprion fuscatus</i>	Sooty Tern	IN, TH, VT	1	0.2	0.6	2	0.4	2	0.4	2	0.4	0.2892
<i>Pelagodroma marina</i>	White-faced Storm-petrel	IN	1	0.2	0.4	1	0.2	1	0.2	1	0.2	0.1295
<i>Pelecanus onocrotalus</i>	Great White Pelican	IN	1	0.2	0.8	3	0.6	2	0.4	1	0.2	0.3282
<i>Phaethon aethereus</i>	Red-billed Tropicbird	IN	1	0.2	0.8	1	0.2	2	0.4	1	0.2	0.2279
<i>Phaethon lepturus</i>	White-tailed Tropicbird	IN	1	0.2	0.6	1	0.2	2	0.4	1	0.2	0.2036
<i>Phaethon rubricauda</i>	Red-tailed Tropicbird	IN	1	0.2	0.8	1	0.2	2	0.4	1	0.2	0.2279
<i>Phalacrocorax carbo</i>	Great Cormorant	IN, TH, VT	1	0.2	0.6	2	0.4	1	0.2	3	0.6	0.2784
<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	IN, TH, VT	1	0.2	0.2	2	0.4	1	0.2	3	0.6	0.1833
<i>Podiceps cristatus</i>	Great Crested Grebe	IN	1	0.2	0.4	3	0.6	4	0.8	4	0.8	0.3565
<i>Podiceps nigricollis</i>	Black-necked Grebe	IN	1	0.2	0.4	3	0.6	4	0.8	4	0.8	0.3565
<i>Pterodroma arminjoniana</i>	Trindade Petrel	IN	3	0.6	0.8	1	0.2	1	0.2	1	0.2	0.2603
<i>Puffinus bailloni</i>	Tropical Shearwater	IN	1	0.2	1	1	0.2	1	0.2	1	0.2	0.1852
<i>Puffinus persicus</i>	Persian Shearwater	IN	1	0.2	1	1	0.2	1	0.2	1	0.2	0.1852
<i>Saundersilarus saundersi</i>	Saunders's Gull	VT	3	0.6	0.4	1	0.2	2	0.4	2	0.4	0.3857
<i>Stercorarius pomarinus</i>	Pomarine Jaeger	IN, TH, VT	1	0.2	0.8	2	0.4	2	0.4	3	0.6	0.3550
<i>Sterna dougallii</i>	Roseate Tern	IN, TH, VT	1	0.2	0.6	2	0.4	2	0.4	3	0.6	0.3173
<i>Sterna hirundo</i>	Common Tern	IN, TH, VT	1	0.2	0.6	1	0.2	2	0.4	3	0.6	0.2784
<i>Sterna repressa</i>	White-cheeked Tern	IN	1	0.2	0.6	1	0.2	2	0.4	3	0.6	0.2784
<i>Sterna sumatrana</i>	Black-naped Tern	IN, TH, VT	1	0.2	0.6	1	0.2	2	0.4	3	0.6	0.2784

Scientific name	Common name	Country	CnS	CnS (s)	Su (s)	B1	B1 (s)	B2	B2 (s)	B3	B3 (s)	OW Dis SI
<i>Sternula albifrons</i>	Little Tern	IN, TH, VT	1	0.2	0.6	2	0.4	2	0.4	4	0.8	0.3382
<i>Sternula saundersi</i>	Saunders's Tern	IN	1	0.2	0.8	2	0.4	2	0.4	4	0.8	0.3785
<i>Sula dactylatra</i>	Masked Booby	IN, VT	1	0.2	0.8	2	0.4	4	0.8	2	0.4	0.4054
<i>Sula leucogaster</i>	Brown Booby	IN, TH, VT	1	0.2	0.8	2	0.4	4	0.8	1	0.2	0.3739
<i>Sula sula</i>	Red-footed Booby	IN, VT	1	0.2	0.8	2	0.4	4	0.8	1	0.2	0.3739
<i>Thalasseus bengalensis</i>	Lesser Crested Tern	IN, TH, VT	1	0.2	1	1	0.2	2	0.4	3	0.6	0.3383
<i>Thalasseus bergii</i>	Greater Crested Tern	IN, TH, VT	1	0.2	0.8	1	0.2	2	0.4	3	0.6	0.3115
<i>Thalasseus bernsteini</i>	Chinese Crested Tern	TH	5	1	0.8	1	0.2	2	0.4	3	0.6	0.5785
<i>Thalasseus sandvicensis</i>	Sandwich Tern	IN	1	0.2	0.8	1	0.2	2	0.4	3	0.6	0.3115

References

- Adams, J., Felis, J.J., Czapanskiy, M.P., 2020. Habitat Affinities and At-Sea Ranging Behaviors among Main Hawaiian Island Seabirds: Breeding Seabird Telemetry, 2013–2016. Camarillo (CA): US Department of the Interior Bureau of Ocean Energy Management, Pacific OCS Region. OCS Study BOEM 2020-006. 111 pp
- Adams, J., Kelsey, E.C., Felis, J.J., Pereksta, D.M., 2017. Data for calculating population, collision and displacement vulnerability among marine birds of the California Current System associated with offshore wind energy infrastructure (ver. 2.0, June 2017): U.S. Geological Survey data release. <https://doi.org/10.5066/F79C6VJ0>
- Bradbury, G., Trinder, M., Furness, B., Banks, A.N., Caldow, R.W.G., Hume, D., 2014. Mapping Seabird Sensitivity to offshore wind farms. *PLoS One* 9, e106366. <https://doi.org/10.1371/journal.pone.0106366>
- Calixto-Albarrán, I., Osorno, J.-L., 2000. The Diet of the Magnificent Frigatebird During Chick Rearing. *Condor* 102, 569–576. <https://doi.org/10.1093/condor/102.3.569>
- Cama, A., Abellana, R., Christel, I., Ferrer, X., Vieites, D., 2012. Moving to the sea: a challenge for an inshore species, the slender-billed gull. *Mar. Ecol. Prog. Ser.* 463, 285–295. <https://doi.org/10.3354/meps09861>
- Certain, G., Jørgensen, L.L., Christel, I., Planque, B., Bretagnolle, V., 2015. Mapping the vulnerability of animal community to pressure in marine systems: disentangling pressure types and integrating their impact from the individual to the community level. *ICES J. Mar. Sci.* 72, 1470–1482. <https://doi.org/10.1093/icesjms/fsv003>
- Critchley, E., Jessopp, 2019. Co-designing opportunities towards the development of Irish offshore wind. Initial results for the assessment of seabird vulnerability to offshore windfarms in Ireland, EirWind Project Deliverable D4.12 Report, MaREI Centre, ERI, University College Cork, Ireland. <http://doi.org/10.5281/zenodo.3948454>
- De Monte, S., Cotté, C., D’Ovidio, F., Lévy, M., Le Corre, M., Weimerskirch, H., 2012. Frigatebird behaviour at the ocean–atmosphere interface: integrating animal behaviour with multi-satellite data. *J. R. Soc. Interface* 9, 3351–3358. <https://doi.org/10.1098/rsif.2012.0509>
- Dias, M.P., Alho, M., Granadeiro, J.P., Catry, P., 2015. Wanderer of the deepest seas: migratory behaviour and distribution of the highly pelagic Bulwer’s petrel. *J. Ornithol.* 156, 955–962. <https://doi.org/10.1007/s10336-015-1210-9>
- Dierschke, V., Furness, R.W., Garthe, S., 2016. Seabirds and offshore wind farms in European waters: Avoidance and attraction. *Biol. Conserv.* 202, 59–68. <https://doi.org/10.1016/j.biocon.2016.08.016>
- Furness, R.W., Wade, H.M., Masden, E.A., 2013. Assessing vulnerability of marine bird populations to offshore wind farms. *J. Environ. Manage.* 119, 56–66. <https://doi.org/10.1016/j.jenvman.2013.01.025>
- Gauger Metz, V. H., Schreiber, E. A., 2020. Great Frigatebird (*Fregata minor*), version 1.0. In *Birds of the World* (S. M. Billerman, Editor). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.grefri.01>
- Grace, J., Anderson D. J., Carboneras, C., Christie, D. A., Jutglar, F., Garcia, E. F. J., Kirwan, G. M., 2020. Masked Booby (*Sula dactylatra*), version 1.0. In *Birds of the World* (S. M. Billerman, Editor). Cornell Lab of Ornithology, Ithaca, NY, USA. <https://doi.org/10.2173/bow.masboo.01>

- Heiss, M., 2016. Migratory behaviour of bird species occurring in critical numbers at Besh Barmag bottleneck in Azerbaijan. *Bird Conserv. Int.* 26, 243–255.
<https://doi.org/10.1017/S095927091500009X>
- Hennicke, J.C., James, D.J., Weimerskirch, H., 2015. Sex-specific habitat utilization and differential breeding investments in Christmas Island Frigatebirds throughout the breeding cycle. *PLoS One* 10, 1–15. <https://doi.org/10.1371/journal.pone.0129437>
- Jenkins, A.R., Reid, T., Plessis, J. du, Colyn, R., Benn, G., Millikin, R., 2018. Combining radar and direct observation to estimate pelican collision risk at a proposed wind farm on the Cape west coast, South Africa. *PLoS One* 13, 1–21. <https://doi.org/10.1371/journal.pone.0192515>
- Kelsey, E.C., Felis, J.J., Czapanskiy, M., Pereksta, D.M., Adams, J., 2018. Collision and displacement vulnerability to offshore wind energy infrastructure among marine birds of the Pacific Outer Continental Shelf. *J. Environ. Manage.* 227, 229–247.
<https://doi.org/10.1016/j.jenvman.2018.08.051>
- Lewis, S., Schreiber, E.A., Daunt, F., Schenk, G.A., Orr, K., Adams, A., Wanless, S., Hamer, K.C., 2005. Sex-specific foraging behaviour in tropical boobies: does size matter? *Ibis*. 147, 408–414.
<https://doi.org/10.1111/j.1474-919x.2005.00428.x>
- Liu, D., Zhang, G., Jiang, H., Lu, J., 2018. Detours in long-distance migration across the Qinghai-Tibetan Plateau: individual consistency and habitat associations. *PeerJ* 6, e4304.
<https://doi.org/10.7717/peerj.4304>
- Mendez, L., Borsa, P., Cruz, S., De Grissac, S., Hennicke, J., Lallemand, J., Prudor, A., Weimerskirch, H., 2017. Geographical variation in the foraging behaviour of the pantropical red-footed booby. *Mar. Ecol. Prog. Ser.* 568, 217–230. <https://doi.org/10.3354/meps12052>
- Mott, R., Herrod, A., Clarke, R.H., 2021. Transboundary priorities for protection of frigatebird non-breeding habitat in a heavily impacted region. *Glob. Ecol. Conserv.* 27, e01545.
<https://doi.org/10.1016/j.gecco.2021.e01545>
- Orta, J., Garcia, E. F. J., Kirwan, G. M., Boesman, P. F. D., Sharpe, C. J., 2020. Lesser Frigatebird (*Fregata ariel*), version 1.0. In *Birds of the World* (J. del Hoyo, A. Elliott, J. Sargatal, D. A. Christie, and E. de Juana, Editors). Cornell Lab of Ornithology, Ithaca, NY, USA.
<https://doi.org/10.2173/bow.lesfri.01>
- Rattenborg, N.C., Voirin, B., Cruz, S.M., Tisdale, R., Dell’Omo, G., Lipp, H.-P., Wikelski, M., Vyssotski, A.L., 2016. Evidence that birds sleep in mid-flight. *Nat. Commun.* 7, 12468.
<https://doi.org/10.1038/ncomms12468>
- Robinson Willmott, J.R., Forcey, G., Kent, A., 2013. The relative vulnerability of migratory bird species to offshore wind energy projects on the Atlantic outer continental shelf: An Assessment Method and Database. Final Report to the U.S. Department of the Interior, Bureau of Ocean Energy Management, Office of Renewable Energy Programs. OCS Study BOEM 2013-207. 275 pp
- Schreiber, E. A., Schreiber, R. W., Schenk, G. A., 2020. Red-footed Booby (*Sula sula*), version 1.0. In *Birds of the World* (S. M. Billerman, Editor). Cornell Lab of Ornithology, Ithaca, NY, USA.
<https://doi.org/10.2173/bow.refboo.01>
- Soanes, L.M., Green, J.A., Bolton, M., Milligan, G., Mukhida, F., Halsey, L.G., 2021. Linking foraging and breeding strategies in tropical seabirds. *J. Avian Biol.* 52, 1–13.
<https://doi.org/10.1111/jav.02670>

- Sommerfeld, J., Kato, A., Ropert-Coudert, Y., Garthe, S., Hindell, M.A., 2013. The individual counts: Within sex differences in foraging strategies are as important as sex-specific differences in masked boobies *Sula dactylatra*. *J. Avian Biol.* 44, 531–540. <https://doi.org/10.1111/j.1600-048X.2013.00135.x>
- Veen, J., Dallmeijer, H., Schlaich, A.E., Veen, T., Mullié, W.C., 2019. Diet and Foraging Range of Slender-Billed Gulls *Chroicocephalus genei* Breeding in the Saloum Delta, Senegal. *Ardea* 107, 33. <https://doi.org/10.5253/arde.v107i1.a8>
- Wade, H.M., Masden, E.A., Jackson, A.C., Furness, R.W., 2016. Incorporating data uncertainty when estimating potential vulnerability of Scottish seabirds to marine renewable energy developments. *Mar. Policy* 70, 108–113. <https://doi.org/10.1016/j.marpol.2016.04.045>
- Weimerskirch, H., Bishop, C., Jeanniard-du-Dot, T., Prudor, A., Sachs, G., 2016. Frigate birds track atmospheric conditions over months-long transoceanic flights. *Science*. 353, 74–8. <https://doi.org/10.1126/science.aaf4374>
- Weimerskirch, H., Borsa, P., Cruz, S., de Grissac, S., Gardes, L., Lallemand, J., Corre, M. Le, Prudor, A., 2017. Diversity of migration strategies among great frigatebirds populations. *J. Avian Biol.* 48, 103–113. <https://doi.org/10.1111/jav.01330>
- Weimerskirch, H., Corre, M. Le, Kai, E.T., Marsac, F., 2010. Foraging movements of great frigatebirds from Aldabra Island: Relationship with environmental variables and interactions with fisheries. *Prog. Oceanogr.* 86, 204–213. <https://doi.org/10.1016/j.pocean.2010.04.003>
- Weimerskirch, H., Le Corre, M., Bost, C., 2008. Foraging strategy of masked boobies from the largest colony in the world: relationship to environmental conditions and fisheries. *Mar. Ecol. Prog. Ser.* 362, 291–302. <https://doi.org/10.3354/meps07424>
- Weimerskirch, H., Le Corre, M., Jaquemet, S., Potier, M., Marsac, F., 2004. Foraging strategy of a top predator in tropical waters: Great frigatebirds in the Mozambique Channel. *Mar. Ecol. Prog. Ser.* 275, 297–308. <https://doi.org/10.3354/meps275297>
- Weimerskirch, H., Le Corre, M., Ropert-Coudert, Y., Kato, A., Marsac, F., 2005. The three-dimensional flight of red-footed boobies: adaptations to foraging in a tropical environment? *Proc. R. Soc. B Biol. Sci.* 272, 53–61. <https://doi.org/10.1098/rspb.2004.2918>